July 2001

ISSN 0165-1684
SPRODR INDEX 1–45 (2001)

SIGNAL PROCESSING

MASTER INDEX
VOLUMES 61–80

An International Journal

A publication of the European Association for Signal Processing (EURASIP)

NOW included in your subscription:
ELECTRONIC ACCESS
www.elsevier.com/locate/sigpro

ELSEVIER

EURASIP

SIGNAL PROCESSING

An International Journal
A publication of the European Association for Signal Processing (EURASIP)

Editor-in-Chief
Murat KUNT
Laboratoire de Traitement des Signaux
Département d'Electricité
Ecole Polytechnique Fédérale de Lausanne
Ecublens, CH-1015 Lausanne, Switzerland
Telephone: (4121) 693 26 26
Telefax (4121) 693 7600
Telex: 45 40 62 epfe ch
E-mail: kunt@epfl.ch

Deputy-Editor
Philippe Salembier (Barcelona, Spain)

Editorial Board
M. Bellanger (Paris, France)
C. Braccini (Genova, Italy)
V. Cappellini (Florence, Italy)
F. Castanie (Toulouse, France)
C. Christopoulos (Stockholm, Sweden)
C.F.N. Cowan (Belfast, Ireland)
T.S. Durrani (Glasgow, United Kingdom)
A.R. Figueiras-Vidal (Madrid, Spain)
P. Flandrin (Lyon, France)
M. Gabbouj (Tampere, Finland)
C. Galand (La Gaude, France)
B. Girod (Erlangen, Germany)
H. Goeckler (Bochum, Germany)
G.H. Granlund (Linköping, Sweden)
U. Heute (Kiel, Germany)
T.S. Huang (Urbana, IL, USA)
J.G. Lacoume (Grenoble, France)
M.A. Lagunas-Hernandez (Barcelona, Spain)
S. Levialdi (Rome, Italy)
S.K. Mitra (Santa Barbara, CA, USA)
B. Mulgrew (Edinburgh, United Kingdom)
M. Nagao (Kyoto, Japan)
A. Nehorai (Chicago, IL, USA)
Y. Neuvo (Espoo, Finland)
H. Niemann (Erlangen, Germany)
B. Picinbono (Gif-sur-Yvette, France)
I. Pitas (Thessaloniki, Greece)
P. Regalia (Evry, France)
F. Rocca (Milan, Italy)
B. Sankur (Istanbul, Turkey)
H. Sari (Houston, TX, USA)
L.L. Scharf (Boulder, CO, USA)
G. Sicuranza (Trieste, Italy)
T. Sikora (Berlin, Germany)
P. Stoica (Uppsala, Sweden)
P. Strobach (Rohrnbach, Germany)
C.Y. Suen (Montréal, Canada)
S. Theodoridis (Athens, Greece)
J.P. Thiran (Lausanne, Switzerland)
H. Tiziani (Stuttgart, Germany)
M. Unser (Lausanne, Switzerland)
P. Vandergheynst (Lausanne, Switzerland)
A. Venetsanopoulos (Toronto, Canada)
J.M. Vesin (Lausanne, Switzerland)
B. Yegnanarayana (Madras, India)
I.T. Young (Delft, The Netherlands)

Book Review Editor
Olli Vainio
Signal Processing Laboratory
Tampere University of Technology
P.O. Box 527
33101 Tampere
Finland

Secretary: Mrs. F. Vionnet-Monterde

Editorial Policy. SIGNAL PROCESSING is an Interdisciplinary Journal presenting the theory and practice of signal processing. Its primary objectives are the following:
- Dissemination of research results and of engineering developments to all signal processing groups and individuals.
- Presentation of practical solutions to current signal processing problems in engineering and science.

The editorial policy and the technical content of the Journal are the responsibility of the Editor-in-Chief and the Editorial Board. The Journal is self-supporting from subscription income and contains a minimum amount of advertisements. Advertisements are subject to the prior approval of the Editor-in-Chief. The journal welcomes contributions from every country in the world.

Scope. SIGNAL PROCESSING incorporates all aspects of the theory and practice of signal processing (analogue and digital). It features original research work, tutorial and review articles, and accounts of practical developments. It is intended for a rapid dissemination of knowledge and experience to engineers and scientists working in signal processing research, development or practical application.

Subjects. Subject areas covered by the Journal include:
Signal Theory, Stochastic Processes, Detection and Estimation, Spectral Analysis, Filtering, Signal Processing Systems, Software Developments, Image Processing, Pattern Recognition, Optical Signal Processing, Digital Signal Processing, Multi-dimensional Signal Processing, Communication Signal Processing, Biomedical Signal Processing, Geophysical and Astrophysical Signal Processing, Earth Resources Signal Processing, Acoustic and Vibration Signal Processing, Data Processing, Remote Sensing, Signal Processing Technology, Speech Processing, Radar Signal Processing, Sonar Signal Processing, Special Signal Processing, Industrial Applications, New Applications.

Publication information: Signal Processing (ISSN 0165-1684). For 2001, Volume 81 (12 issues) is scheduled for publication. Subscription prices are available upon request from the Publisher or from the Regional Sales Office nearest you or from this journal's website (http://www.elsevier.com/locate/sigpro). Further information is available on this journal and other Elsevier Science products through Elsevier's website: (http://www.elsevier.com). Subscriptions are accepted on a prepaid basis only and are entered on a calendar year basis. Issues are sent by standard mail (surface within Europe, air delivery outside Europe). Priority rates are available upon request. Claims for missing issues should be made within six months of the date of dispatch.

Orders, claims, and product enquiries: please contact the Customer Support Department at the Regional Sales Office nearest you:

New York: Elsevier Science, PO Box 945, New York, NY 10159-0945, USA; Tel.: (+1) (212) 633 3730 [toll free number for North American customers: 1-888-4ES-INFO (437-4636)]; fax: (+1) (212) 633 3680; e-mail: usinfo-f@elsevier.com

Amsterdam: Elsevier Science, PO Box 211, 1000 AE Amsterdam, The Netherlands; Tel.: (+31) 20 4853757; fax: (+31) 20 4853432; e-mail: nlinfo-f@elsevier.nl

Tokyo: Elsevier Science, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106-0044, Japan; Tel.: (+81) (3) 5561 5033; fax: (+81) (3) 5561 5047; e-mail: info@elsevier.co.jp

Singapore: Elsevier Science, No. 1 Temasek Avenue, #17-01 Millenia Tower, Singapore 039192; Tel.: (+65) 434 3727; fax: (+65) 337 2230; e-mail: asiainfo@elsevier.com.sg

Rio de Janeiro: Elsevier Science, Rua Sete de Setembro 111/16 Andar, 20050-002 Centro, Rio de Janeiro - RJ, Brazil; Tel.: (+55) (21) 509 5340; fax: (+55) (21) 507 1991; e-mail: elsevier@campus.com.br [Note (Latin America): for orders, claims and help desk information, please contact the Regional Sales Office in New York as listed above]

Advertising information. Advertising orders and enquiries can be sent to: **USA, Canada and South America**: Mr Tino de Carlo, The Advertising Department, Elsevier Science Inc., 655 Avenue of the Americas, New York, NY 10010-5107, USA; Tel.: (+1) (212) 633 3815; fax: (+1) (212) 633 3820; e-mail: t.decarlo@elsevier.com. **Japan**: The Advertising Department, Elsevier Science K.K., 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106-0044, Japan; Tel.: (+81) (3) 5561 5033; fax: (+81) (3) 5561 5047. **Europe and ROW**: Rachel Leveson-Gower, The Advertising Department, Elsevier Science Ltd., The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, UK; Tel.: (+44) (1865) 843565; fax: (+44) (1865) 843976; e-mail: r.leveson-gower@elsevier.co.uk

For full membership information of the Association, possibly combined with a subscription at a reduced rate, please contact: EURASIP, P.O. Box 134, CH-10000 Lausanne 13, Switzerland.

USA mailing notice: Signal Processing (ISSN 0165-1684) is published monthly by Elsevier Science B.V. (P.O. Box 211, 1000 AE Amsterdam, The Netherlands). Annual subscription price in the USA US$ 2049 (valid in North, Central and South America), including air speed delivery. Periodical postage rate paid at Jamaica, NY 11431.
USA POSTMASTER: Send address changes to Signal Processing, Publications Expediting Inc., 200 Meacham Ave, Elmont, NY 11003.
AIRFREIGHT AND MAILING in the USA by Publications Expediting Inc., 200 Meacham Avenue, Elmont, NY 11003.

⊙ The paper used in this publication meets the requirements of ANSI/NISO Z39.48-1992 (Permanence of Paper).

Published 12 times a year

Printed in The Netherlands

SIGNAL PROCESSING

Editor-in Chief
Murat KUNT

MASTER INDEX
VOLUMES 61–80

ELSEVIER Amsterdam – London – New York – Oxford – Paris – Shannon – Tokyo

SIGNAL PROCESSING

signal processing

An International Journal
A publication of the European Association for Signal Processing (EURASIP)

Editor-in-Chief
Murat KUNT
Laboratoire de Traitement des Signaux
Département d'Electricité
Ecole Polytechnique Fédérale de Lausanne
Ecublens
CH-1015 Lausanne, Switzerland
Tél.: (4121) 693 26 26
Télex: 45 40 62 epfe ch
Téléfax: (4121) 693 7600
E-mail: murat.kunt@epfl.ch

Deputy-Editor
Philippe Salembier (Barcelona, Spain)

Editorial Board
M. Bellanger (Paris, France)
C. Braccini (Genova, Italy)
V. Cappellini (Florence, Italy)
F. Castanie (Toulouse, France)
C. Christopoulos (Stockholm, Sweden)
C.F.N. Cowan (Belfast, Ireland)
T.S. Durrani (Glasgow, United Kingdom)
A.R. Figueiras-Vidal (Madrid, Spain)
P. Flandrin (Lyon, France)
M. Gabbouj (Tampere, Finland)
C. Galand (La Gaude, France)
B. Girod (Erlangen, Germany)
H. Goeckler (Bochum, Germany)
G.H. Granlund (Linköping, Sweden)
U. Heute (Kiel, Germany)
T.S. Huang (Urbana, IL, USA)
J.G. Lacoume (Grenoble, France)
M.A. Lagunas-Hernandez (Barcelona, Spain)
S. Levialdi (Rome, Italy)
S.K. Mitra (Santa Barbara, CA, USA)
B. Mulgrew (Edinburgh, United Kingdom)
M. Nagao (Kyoto, Japan)
A. Nehorai (Chicago, IL, USA)
Y. Neuvo (Espoo, Finland)
H. Niemann (Erlangen, Germany)
B. Picinbono (Gif-sur-Yvette, France)
I. Pitas (Thessaloniki, Greece)
P. Regalia (Evry, France)
F. Rocca (Milan, Italy)
B. Sankur (Istanbul, Turkey)
H. Sari (Houston, TX, USA)
L.L. Scharf (Boulder, CO, USA)
G. Sicuranza (Trieste, Italy)
T. Sikora (Berlin, Germany)
P. Stoica (Uppsala, Sweden)
P. Strobach (Rohrnbach, Germany)
C.Y. Suen (Montréal, Canada)
S. Theodoridis (Athens, Greece)
J.P. Thiran (Lausanne, Switzerland)
H. Tiziani (Stuttgart, Germany)
M. Unser (Lausanne, Switzerland)
P. Vandergheynst (Lausanne, Switzerland)
A. Venetsanopoulos (Toronto, Canada)
J.M. Vesin (Lausanne, Switzerland)
B. Yegnanarayana (Madras, India)
I.T. Young (Delft, The Netherlands)

© 2001 Elsevier Science B.V. All rights reserved

This journal and the individual contributions contained in it are protected under copyright by Elsevier Science B.V., and the following terms and conditions apply to their use.

Photocopying
Single photocopies of single articles may be made for personal use as allowed by national copyright laws. Permission of the publisher and payment of a fee is required for all other photocopying, including multiple or systematic copying, copying for advertising or promotional purposes, resale, and all forms of document delivery. Special rates are available for educational institutions that wish to make photocopies for non-profit educational classroom use.

Permissions may be sought directly from Elsevier Science Global Rights Department, PO Box 800, Oxford OX5 1DX, UK; Tel.: (+44)1865 843830; fax (+44)1865 853333, e-mail: permissions@elsevier.co.uk. You may also contact Global Rights directly through Elsevier's home page (http://www.elsevier.com), selecting 'Obtaining Permissions'.

In the USA, users may clear permissions and make payments through the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923, USA; Tel.: (978)7508400; fax: (978) 7504744 and in the UK through the Copyright Licensing Agency Rapid Clearance Service (CLARCS), 90 Tottenham Court Road, London W1P 0LP, UK; Tel.: (+44)207 631 5555; fax: (+44)207 631 5500. Other countries may have a local reprographic rights agency for payments.

Derivative works
Subscribers may reproduce tables of contents or prepare lists of articles including abstracts for internal circulation within their institutions. Permission of the publisher is required for resale or distribution outside the institution.

Permission of the publisher is required for all other derivative works, including compilations and translations.

Electronic storage or usage
Permission of the publisher is required to store or use electronically any material contained in this journal, including any article or part of an article.

Except as outlined above, no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without prior written permission of the publisher.

Address permissions requests to: Elsevier Science Global Rights Department, at the mail, fax and e-mail addresses noted above.

Notice
No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the material herein. Because of rapid advances in the medical sciences, in particular, independent verification of diagnoses and drug dosages should be made.

Although all advertising material is expected to conform to ethical (medical) standards, inclusion in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made of it by its manufacturer.

Published 12 times a year

Printed in The Netherlands

ELSEVIER

Signal Processing (2001) 1–45

SIGNAL PROCESSING

www.elsevier.com/locate/sigpro

Master index: Volumes 61–80

Aach, T. and D. Kunz, A lapped directional transform for spectral image analysis and its application to restoration and enhancement	80	(11) (2000)	2347–2364
Aase, S., *see* K. Engan	80	(10) (2000)	2121–2140
Abed-Meraim, K. and Y. Hua, Weighted minimum noise subspace method for blind system identification	69	(1) (1998)	15–27
Abele, J., J. Joubert and J.W. Odendaal, Introduction of multiple nulls with controllable depths in an omnidirectional pattern of a circular array	80	(1) (2000)	141–149
Abeysekera, S.S. and Z. Zang, Optimal Laguerre filters for sigma–delta demodulator circuits	80	(1) (2000)	205–209
Abeysekera, S.S., Optimum stuff threshold modulation sequences for pulse stuffing	72	(2) (1999)	69–83
Aboul-Ella, H. and M. Nakajima, Image metamorphosis transformation of facial images based on elastic body splines	70	(2) (1998)	129–137
Abry, P., *see* D. Veitch	80	(9) (2000)	1971–1983
Accame, M., F.G. Natale and F. Granelli, Efficient labeling procedures for image partition encoding	80	(6) (2000)	1127–1131
Acha, J.I. and R. Martín-Clemente, Design of log FIR filters	62	(2) (1997)	243–246
Acharya, S., *see* P. Pal	74	(2) (1999)	153–168
Achten, E., *see* Y.De Deene	70	(2) (1998)	85–101
Adalı, T. and L. Xiao, Canonical piecewise linear network for nonlinear filtering and its application to blind equalization	61	(2) (1997)	145–155
Agaian, S. *see* J. Astola	61	(2) (1997)	181–197
Aggoun, A., M.K. Ibrahim and A. Ashur, Design methodology for subdigit pipelined digit-serial IIR filters	68	(1) (1998)	73–86
Agrawal, M., S. Prasad and S.C.D. Roy, Improved FIR filters for discrimination of damped sinusoids	62	(2) (1997)	237–241
Agrawal, M. and S. Prasad, Optimum broadband beamforming for coherent broadband signals and interferences	77	(1) (1999)	21–36
Akan, A. and L.F. Chaparro, Multi-window Gabor expansion for evolutionary spectral analysis	63	(3) (1997)	249–262
Akçay, H., On the existence of a disk algebra basis	80	(5) (2000)	903–907
Akçay, H., Paley inequalities for discrete-time rational orthonormal bases	80	(11) (2000)	2449–2455
Akçay, H., S.M. Islam and B. Ninness, Identification of power transformer models from frequency response data: A case study	68	(3) (1998)	307–315
Akcay, H. and B. Ninness, Orthonormal basis functions for modelling continuous-time systems	77	(3) (1999)	261–274

PII: S0165-1684(01)00116-5

Akopian, D. *see* J. Astola	61	(2) (1997)	181–197
Alba, J.L., L. Docío, D. Docampo and O.W. Márquez, Growing Gaussian mixtures network for classification applications	76	(1) (1999)	43–60
Alberola-López, C., *see* J. Ruiz-Alzola	80	(1) (2000)	23–43
Albiol, A., *see* V. Almenar	75	(3) (1999)	253–263
Algazi, V.Ra, N. Avadhanam and R.R. Estes, Jr., Quality measurement and use of pre-processing in image compression	70	(3) (1998)	215–229
Alieva, T. and A. Barbé, Fractional Fourier and Radon–Wigner transforms of periodic signals	69	(2) (1998)	183–189
Alkanhal, M.A. and S.A. Alshebeili, Blind identification of nonminimum phase FIR systems: Cumulants matching via genetic algorithms	67	(1) (1998)	25–34
Alkulaibi, A. and J.J. Soraghan, Hybrid higher-order cepstrum and functional link network-based blind equaliser (HOCFLN)	62	(1) (1997)	101–109
Alkulaibi, A., J.J. Soraghan and T.S. Durrani, Fast 3-level binary higher order statistics for simultaneous voiced/unvoiced and pitch detection of a speech signal	63	(2) (1997)	133–140
Almenar, V. and A. Albiol, A new adaptive scheme for ECG enhancement	75	(3) (1999)	253–263
Al-Qurainy, A.M., *see* S.A. ALshebeili	77	(1) (1999)	11–20
Al-Ruwais, A.S., *see* S.A. ALshebeili	77	(1) (1999)	11–20
Alshebeili, S.A., *see* M.A. Alkanhal	67	(1) (1998)	25–34
ALshebeili, S.A., A.M. Al-Qurainy and A.S. Al-Ruwais, Nonlinear approaches for narrowband interference suppression in DS spread spectrum systems	77	(1) (1999)	11–20
Amari, S.-i., *see* N. Murata	74	(1) (1999)	3–28
Amari, S.-i., *see* H. Yang	64	(3) (1998)	291–300
Amblard, P.-O., *see* P. Ravier	70	(2) (1998)	115–128
Amblard, P.-O., *see* S. Zozor	68	(2) (1998)	155–173
Amin, M.G., *see* C. Wang	76	(2) (1999)	211–217
Amin, M.G., *see* A. Belouchrani	80	(4) (2000)	723–729
Anand, G.V. *see* M. Ramkumar	63	(3) (1997)	263–268
Andre-Obrecht, R., *see* F. Pellegrino	80	(7) (2000)	1231–1244
Andrieu, C. and A. Doucet, A Bayesian approach to harmonic retrieval with clipped data	74	(3) (1999)	239–252
Andrzej Tarczynski, *see* E. Hermanowicz	67	(3) (1998)	279–289
Anfinsen, S. and A. Nandi, Blind equalisation with recursive filter structures	80	(10) (2000)	2151–2167
Antoine, J.-P., D. Barache, R.M. Cesar Jr. and L. da Fontoura Costa, Shape characterization with the wavelet transform	62	(3) (1997)	265–290
Antoniou, A., *see* S.R. Pillai	80	(5) (2000)	809–818
Antoszczyszyn, P.M., J.M. Hannah and P.M. Grant, Tracking of the motion of important facial features in model-based coding	66	(2) (1998)	249–260
Arce, G.R., *see* A. Flaig	80	(6) (2000)	1017–1036
Arenas, J., *see* J.-J. van de Beek	80	(7) (2000)	1321–1334
Arias, E. *see* L. Torres	62	(3) (1997)	291–301
Arıkan, O., *see* M.A. Kutay	77	(1) (1999)	105–109
Arnott, R., Diversity combining for digital mobile radio using radial basis function networks	63	(1) (1997)	1–16
Artés, A., *see* M.An Losada	80	(7) (2000)	1281–1288
Ashur, A., *see* A. Aggoun	68	(1) (1998)	73–86

Assaad, J., A. Menhaj, J.M. Rouvaen, C. Bruncel and P. Deloof, Signal processing study for an FM CW collision avoidance radar system 61 (1) (1997) 83–88
Astola, J., *see* C. Giurcăneanu 80 (11) (2000) 2283–2294
Astola, J., *see* R. Niemistö 70 (2) (1998) 147–151
Astola, J., D. Akopian, O. Vainio and S. Agaian, New digit-serial implementations of stack filters 61 (2) (1997) 181–197
Astola, J., *see* O.V. Sarca 71 (3) (1998) 247–263
Atalay, V., *see* E. Öztop 75 (1) (1999) 1–10
Atici, A.A. and F.T. Yarman-Vural, A heuristic algorithm for optical character recognition of Arabic script 62 (1) (1997) 87–99
Atzori, L. and F.G.B. Natale, Reconstruction of missing or occluded contour segments using Bezier interpolations 80 (8) (2000) 1691–1694
Avadhanam, N., *see* V.Ra Algazi 70 (3) (1998) 215–229
Axelrad Weaver, E., *see* N.A. Schmajuk 74 (1) (1999) 71–87
Ayadi, J. and D.T. Slock, Blind channel estimation exploiting transmission filter knowledge 80 (10) (2000) 2049–2062
Aziz, A.M., M. Tummala and R. Cristi, Fuzzy logic data correlation approach in multisensor–multitarget tracking systems 76 (2) (1999) 195–209

Babu, K.V.S., Y. Yoganandam and V.U. Reddy, Adaptive estimation of eigensubspace and tracking the directions of arrival 68 (3) (1998) 317–339
Baccarelli, E., *see* R. Cusani 66 (1) (1998) 79–93
Baccarelli, E. and R. Cusani, Parameter identification of quasi-stationary Rayleigh-faded time-varying digital channels 79 (1) (1999) 1–13
Bae, J., *see* K. Kim 64 (2) (1998) 225–230
Bae, M., *see* S. Baek 75 (1) (1999) 89–92
Baek, S., *see* S.-W. Lee 77 (3) (1999) 343–347
Baek, S., M. Bae and K.-M. Sung, A fast vector quantization encoding algorithm using multiple projection axes 75 (1) (1999) 89–92
Bakamidis, S., *see* C. Malliopoulos 79 (2) (1999) 161–173
Bakkoury, J., D. Roviras, M. Ghogho and F. Castanie, Adaptive MLSE receiver over rapidly fading channels 80 (7) (2000) 1347–1360
Bamford, P. and B. Lovell, Unsupervised cell nucleus segmentation with active contours 71 (2) (1998) 203–213
Bao, Z., *see* P.-L. Shui 79 (3) (1999) 289–300
Bao, Z., *see* D.-Z. Feng 64 (3) (1998) 333–346
Bapalt, J.L., Partially blind estimation: ML-based approaches and Cramer–Rao bound 71 (3) (1998) 265–277
Barache, D. *see* J.-P. Antoine 62 (3) (1997) 265–290
Barakat, A.R., *see* R.J. Mueller 69 (2) (1998) 117–129
Barakat, M., *see* M. Hamadouche 80 (1) (2000) 117–123
Barba, D., *see* J. Benois-Pineau 66 (2) (1998) 181–201
Barbé, A., *see* T. Alieva 69 (2) (1998) 183–189
Barkat, M. and S. Dib, CFAR detection for two correlated targets 61 (3) (1997) 289–295
Barman, A.Da, *see* P. Rao 80 (8) (2000) 1655–1667
Barner, K.E., *see* A. Flaig 80 (6) (2000) 1017–1036
Barni, M., F. Bartolini, V. Cappellini and A. Piva, A DCT-domain system for robust image watermarking 66 (3) (1998) 357–372

Barni, M. and V. Cappellini, On the computational complexity of multivariate median filters 71 (1) (1998) 45–54

Bäro, S., J. Häkegård and M.-L. Boucheret, Impact of imperfect pilot-symbol-aided channel estimation on TCM performance over Rayleigh fading channels 80 (7) (2000) 1385–1392

Barrera, J., *see* R. Hirata Jr. 80 (4) (2000) 697–721

Barrera, J., E.R. Dougherty and M. Brun, Hybrid human–machine binary morphological operator design. An independent constraint approach 80 (8) (2000) 1469–1487

Bartolini, F., *see* M. Barni 66 (3) (1998) 357–372

Bashagha, A.E., VLSI generalised digit serial architecture for multiplication, division and square root 79 (3) (1999) 261–272

Bauer, P., *see* K. Ralev 69 (2) (1998) 169–175

Baykal, B. and A.G. Constantinides, Order-recursive underdetermined recursive least-squares adaptive algorithms 63 (3) (1997) 241–247

Baylou, P., *see* S. Guillon 67 (3) (1998) 237–254

Bazán, F.S.V., Sensitivity eigenanalysis for single shift-invariant subspace-based methods 80 (1) (2000) 89–100

Beaugeant, C., V. Turbin, P. Scalart and A. Gilloire, New optimal filtering approaches for hands-free telecommunication terminals 64 (1) (1998) 33–47

Beck, R., A.G. Dempster and I. Kale, Characterisation of finite-precision resonators used in recursive filter DFT implementations 80 (1) (2000) 161–183

Beek, P.J., *see* B. Günsel 66 (2) (1998) 261–280

Belaïd, N. and J.-B. Martens, Grey scale, the crispening effect, and perceptual linearization 70 (3) (1998) 231–245

Belbachir, M.F., *see* A. Djebbari 72 (3) (1999) 193–198

Belbachir, M.F., *see* A. Djebbari 64 (2) (1998) 177–183

Belbachir, M.F., *see* A. Djebbari 69 (2) (1998) 199–205

Belouchrani, A. and M.G. Amin, Jammer mitigation in spread spectrum communications using blind sources separation 80 (4) (2000) 723–729

Ben Mrad, R., S.D. Fassois and J.A. Levitt, A polynomial-algebraic method for non-stationary TARMA signal analysis – Part II: Application to modeling and prediction of power consumption in automobile active suspension systems 65 (1) (1998) 21–38

Bencheqroune, A., M. Benseddik and A. Hajjari, Tracking of time-varying frequency of sinusoidal signals 78 (2) (1999) 191–199

Benidir, M., *see* A. Ouldali 78 (1) (1999) 19–42

Benois-Pineau, J., F. Morier, D. Barba and H. Sanson, Hierarchical segmentation of video sequences for content manipulation and adaptive coding 66 (2) (1998) 181–201

Benseddik, M., *see* A. Bencheqroune 78 (2) (1999) 191–199

Beritelli, F., S. Casale and G. Ruggeri, A psychoacoustic auditory model to evaluate the performance of a voice activity detector 80 (7) (2000) 1393–1398

Bernabeu, P., *see* L. Vergara 80 (4) (2000) 659–669

Bernal, A.J., *see* S.E. Ferrando 80 (10) (2000) 2099–2120

Bernal, L.J., *see* S.E. Ferrando 80 (10) (2000) 2099–2120

Besacier, L. and J.-F. Bonastre, Subband architecture for automatic speaker recognition 80 (7) (2000) 1245–1260

Besbes, H., M. Jaidane-Saidane and J. Ezzine, On exact convergence results of adaptive filters: the finite alphabet case 80 (7) (2000) 1373–1384

Besson, O. and P. Stoica, Exponential signals with time-varying amplitude: Parameter estimation via polar decomposition 66 (1) (1998) 27–43
Besson, O., *see* F. Galtier 67 (3) (1998) 291–305
Beyerer, J., Is it useful to know a nuisance parameter? 68 (1) (1998) 107–111
Bhattacharya, S., N.C. Ray and S. Sinha, 2-D signal modelling and reconstruction using third-order cumulants 62 (1) (1997) 61–72
Bi, G. and Y. Chen, Fast generalized DFT and DHT algorithms 65 (3) (1998) 383–390
Bi, G., *see* T. Tan 80 (9) (2000) 1917–1935
Bi, G., Fast algorithms for DFT of composite sequence lengths 70 (2) (1998) 139–145
Bi, G., Split-radix algorithm for 2-D discrete Hartley transform 63 (1) (1997) 45–53
Bi, G., Fast algorithms for the 2-D discrete W transform 74 (3) (1999) 297–308
Bigi, B., R. de Mori, M. El-Bèze and T. Spriet, A fuzzy decision strategy for topic identification and dynamic selection of language models 80 (6) (2000) 1085–1097
Biglieri, E., G. Caire and G. Taricco, Coding for the fading channel: a survey 80 (7) (2000) 1135–1148
Binde, S., Stabilizing fast RLS algorithms by leakage 70 (1) (1998) 1–21
Bloyet, D., *see* A. Elmoataz 71 (2) (1998) 215–226
Blum, R.S., *see* X. Lin 79 (3) (1999) 273–287
Blume, H., *see* O. Franzen 68 (3) (1998) 295–306
Boashash, B. *see* S. Kasaei 62 (3) (1997) 361–366
Boashash, B. and B. Ristic, Polynomial time–frequency distributions and time-varying higher order spectra: Application to the analysis of multicomponent FM signals and to the treatment of multiplicative noise 67 (1) (1998) 1–23
Böhme, J.F., *see* L. Stanković 79 (1) (1999) 15–28
Böhme, J.F., *see* A.B. Gershman 71 (1) (1998) 15–27
Boichu, D., *see* E.Le Tavernier 65 (1) (1998) 115–128
Boichu, D., *see* S. Soltani 80 (10) (2000) 2195–2205
Bonastre, J.-F., *see* L. Besacier 80 (7) (2000) 1245–1260
Boney, L., *see* M.D. Swanson 66 (3) (1998) 337–355
Börjesson, P., *see* J.-J. van de Beek 80 (7) (2000) 1321–1334
Bosetto, D., *see* L. Presti 80 (12) (2000) 2567–2578
Boss, D. *see* B. Jelonnek 61 (3) (1997) 237–264
Boss, D., B. Jelonnek and K.-D. Kammeyer, Eigenvector algorithm for blind MA system identification 66 (1) (1998) 1–26
Boucheret, M.-L., *see* J.-J. van de Beek 80 (7) (2000) 1321–1334
Boucheret, M.-L., *see* S. Bäro 80 (7) (2000) 1385–1392
Boukrouche, A., *see* E. Sekko 72 (1) (1999) 23–32
Bousoño-Calzón, C. and A.R. Figueiras-Vidal, A bank of Hopfield neural networks for the shortest path problem 61 (2) (1997) 157–170
Bouthemy, P., *see* J.-M. Odobez 66 (2) (1998) 143–155
Bradley, A.P., *see* M.P. Eckert 70 (3) (1998) 177–200
Bravo, A.M., Shortened time-invariant decorrelating detector for DS/CDMA asynchronous systems 61 (2) (1997) 101–111
Breining, C. and T. Schertler, Delay-free low-cost step-gain estimation for adaptive filters in acoustic echo cancellation 80 (9) (2000) 1721–1731
Breining, C., Control of a hands-free telephone set 61 (2) (1997) 131–143
Breining, C., State detection for hands-free telephone sets by means of fuzzy LVQ and SOM 80 (7) (2000) 1361–1372

Brillinger, D.R. and R.A. Irizarry, An investigation of the second- and higher-order spectra of music	65	(2) (1998)	161–179
Brillinger, D.R., P.A. Morettin, R.A. Irizarry and C. Chiann, Some wavelet-based analyses of Markov chain data	80	(8) (2000)	1607–1627
Brissett, R. and J. Sodha, On unequal error protection using convolutional codes	77	(1) (1999)	63–70
Britanak, V. and K.R. Rao, The fast generalized discrete Fourier transforms: A unified approach to the discrete sinusoidal transforms computation	79	(2) (1999)	135–150
Brodzik, A.K. and R. Tolimieri, Extrapolation of band-limited signals and the finite Zak transform	80	(3) (2000)	413–423
Broman, H. *see* H. Sahlin	64	(1) (1998)	103–113
Broman, H., U. Lindgren, H. Sahlin and P. Stoica, Source separation: A TITO system identification approach	73	(1–2) (1999)	169–183
Brun, M., *see* J. Barrera	80	(8) (2000)	1469–1487
Bruncel, C. *see* J. Assaad	61	(1) (1997)	83–88
Bruzzone, L., F. Roli and S.B. Serpico, Structured neural networks for signal classification	64	(3) (1998)	271–290
Bulo, M., *see* E.Le Tavernier	65	(1) (1998)	115–128
Bunke, H., *see* K. Yu	77	(2) (1999)	195–208
Burgess, A.N. and A.-P.N. Refenes, Modelling non-linear moving average processes using neural networks with error feedback: An application to implied volatility forecasting	74	(1) (1999)	89–99
Busboom, A., Construction of pseudo-noise arrays from quadratic residues	72	(1) (1999)	33–38
Cain, G.D., *see* E. Hermanowicz	67	(3) (1998)	279–289
Caire, G., *see* E. Biglieri	80	(7) (2000)	1135–1148
Campilho, A. and M. Kamel, Editorial	71	(2) (1998)	107–108
Cantin, M.-A., *see* E. Granger	64	(3) (1998)	249–269
Canu, S., *see* S. Soltani	80	(10) (2000)	2195–2205
Cao, X.-R., *see* J. Zhu	76	(2) (1999)	105–115
Cao, Z. and X. Yu, Switching-based signal estimation with digital implementation	65	(1) (1998)	135–141
Caplier, A., *see* F. Luthon	76	(1) (1999)	61–80
Cappé, O., A. Doucet, M. Lavielle and E. Moulines, Simulation-based methods for blind maximum-likelihood filter identification	73	(1–2) (1999)	3–25
Cappellini, V., *see* M. Barni	66	(3) (1998)	357–372
Cappellini, V., *see* M. Barni	71	(1) (1998)	45–54
Carayannis, G., *see* C. Malliopoulos	79	(2) (1999)	161–173
Carini, A., E. Mumolo and G.L. Sicuranza, A new algebraic description of adaptive Volterra filters	80	(3) (2000)	549–552
Carrión, M., *see* D.P. Ruiz	65	(3) (1998)	403–406
Casale, S., *see* F. Beritelli	80	(7) (2000)	1393–1398
Casas, J.R. *see* L. Torres	62	(3) (1997)	291–301
Castanie, F., *see* J. Bakkoury	80	(7) (2000)	1347–1360
Castanie, F., *see* M. Chabert	80	(3) (2000)	397–411
Castedo, L., *see* A. Dapena	75	(1) (1999)	11–27
Castedo, L., *see* S. Cruces	78	(3) (1999)	265–275
Castedo, L., *see* J. Miguez	71	(1) (1998)	15–27

Cattaneo, P.W., A technique for shape reconstruction for nuclear electronic signals in sampled systems 72 (2) (1999) 117–127
Cesar Jr., R.M. *see* J.-P. Antoine 62 (3) (1997) 265–290
Çetin, A.En, *see* M.Na Gürcan 64 (2) (1998) 209–213
Cezanne, J., *see* M. Rupp 80 (9) (2000) 1787–1794
Chabert, M., J.-Y. Tourneret and F. Castanie, Time-scale analysis of abrupt changes corrupted by multiplicative noise 80 (3) (2000) 397–411
Chakrabarti, C. and L.E. Lucke, VLSI architectures for weighted order statistic (WOS) filters 80 (8) (2000) 1419–1433
Chakraborty, M. and S. Pervin, A systolic array realization of the adaptive decision feedback equalizer 80 (12) (2000) 2633–2640
Challa, R.N. and S. Shamsunder, Passive near-field localization of multiple non-Gaussian sources in 3-D using cumulants 65 (1) (1998) 39–53
Chama, Z., *see* J.M. Rouvaen 79 (1) (1999) 67–72
Chambers, J., *see* S. Lambotharan 74 (2) (1999) 209–216
Chambers, J.A. *see* T. Hoya 64 (1) (1998) 87–91
Chambers, J.A., *see* D.P. Mandic 80 (9) (2000) 1909–1916
Champagne, B., *see* P. Pango 74 (3) (1999) 253–277
Champagne, B., *see* Q.-G. Liu 80 (5) (2000) 831–847
Chan, K., T.Q. Nguyen and L. Chen, A new algorithm for linear-phase paraunitary filter banks with pairwise mirror-image frequency responses 80 (12) (2000) 2589–2596
Chan, K.S. and B. Farhang-Boroujeny, Lattice PFBLMS: Fast converging structure for efficient implementation of frequency-domain adaptive filters 78 (1) (1999) 79–89
Chan, Y.-H., *see* S.-W. Hong 65 (3) (1998) 337–346
Chan, Y.-L. and W.-C. Siu, Reliable block motion estimation through the confidence measure of error surface 76 (2) (1999) 135–146
Chanda, B., *see* S. Mukhopadhyay 80 (4) (2000) 685–696
Chandrasekaran, R., A.V. Keerthi and J.J. Shynk, A constrained least-squares algorithm with data-adaptive beamforming and equalization for cochannel TDMA signals 80 (10) (2000) 2033–2047
Chang, J.-C. *see* K.-C. Fan 61 (2) (1997) 171–180
Chang, L.W., *see* B.-Y. Lee 80 (12) (2000) 2617–2621
Chao, H.-C., Two-channel filter banks satisfying low-delay and perfect-reconstruction design 80 (3) (2000) 465–479
Chaparro, L.F. *see* A. Akan 63 (3) (1997) 249–262
Chaparro, L.F., *see* H.A. Khan 76 (3) (1999) 253–267
Charkani, N. and Y. Deville, Self-adaptive separation of convolutively mixed signals with a recursive structure. Part II. Theoretical extensions and application to synthetic and real signals 75 (2) (1999) 117–140
Charkani, N. and Y. Deville, Self-adaptive separation of convolutively mixed signals with a recursive structure. Part I: Stability analysis and optimization of asymptotic behaviour 73 (3) (1999) 225–254
Chatterjee, N., P. Pal and J. Das, Boundary extraction of sodar images 62 (2) (1997) 229–235
Chatterji, B.N., *see* R. Panda 72 (3) (1999) 147–166
Chau, F.-T., *see* D.-Q. Dai 67 (1) (1998) 109–121
Chaudhuri, S., *see* A.N. Rajagopalan 76 (3) (1999) 285–299
Chehikian, A., Image segmentation by contours and regions cooperation 78 (3) (1999) 329–347

Chen, B.-S. and J.-C. Hung, Fixed-order H_2 and H_∞ optimal deconvolution filter designs	80	(2) (2000)	311–331
Chen, B.-S. and L.-M. Chen, Optimal reconstruction in multirate transmultiplexer systems under channel noise: Wiener separation filtering approach	80	(4) (2000)	637–657
Chen, B.-S., *see* Y.-J. Huang	76	(2) (1999)	117–133
Chen, B.-S., *see* D.-F. Huang	80	(8) (2000)	1501–1513
Chen, B.-S., Y.-J. Huang and S.-C. Chen, Estimation and equalization of multipath Rician fading channels with stochastic tap coefficients	68	(1) (1998)	43–57
Chen, C.-H., *see* J.-K. Guo	77	(2) (1999)	171–193
Chen, C.-H., *see* W.-H. Lin	65	(1) (1998)	103–113
Chen, C.-K., A method for synthesizing multiplierless FIR digital filters with narrow transition widths	62	(3) (1997)	351–360
Chen, C.Q., S.N. Koh and I.Y. Soon, An associatively classified partitioned vector quantizer	76	(3) (1999)	311–322
Chen, L., *see* K. Chan	80	(12) (2000)	2589–2596
Chen, L.-M., *see* B.-S. Chen	80	(4) (2000)	637–657
Chen, S.-C., *see* B.-S. Chen	68	(1) (1998)	43–57
Chen, S.-G., *see* Y.-A. Kao	80	(8) (2000)	1591–1596
Chen, S. and B.L. Luk, Adaptive simulated annealing for optimization in signal processing applications	79	(1) (1999)	117–128
Chen, T., *see* T. Liu	80	(10) (2000)	2141–2149
Chen, Y. and E.R. Dougherry, Optimal and adaptive reconstructive granulometric bandpass filters	61	(1) (1997)	65–81
Chen, Y., *see* E.R. Dougherty	80	(10) (2000)	2219–2235
Chen, Y., *see* G. Bi	65	(3) (1998)	383–390
Chen, Y.-H., *see* H.D. Cheng	75	(3) (1999)	277–301
Cheng, H.D., *see* R.J. Mueller	69	(2) (1998)	117–129
Cheng, H.D., Y.-H. Chen and Y. Sun, A novel fuzzy entropy approach to image enhancement and thresholding	75	(3) (1999)	277–301
Cheng, Q. and Y. Hua, Consistency of two detection techniques using single measurement of data	66	(1) (1998)	61–77
Chern, S.-J., *see* S.-N. Lin	71	(1) (1998)	29–44
Chesnokov, V., Analogue synthesiser of orthogonal signals	74	(2) (1999)	217–221
Chevalier, P., On the blind implementation of the ultimate source separators for arbitrary noisy mixtures	78	(3) (1999)	277–287
Chevalier, P., Optimal separation of independent narrow-band sources: Concept and performance	73	(1–2) (1999)	27–47
Chiang, H.-C. and J.-C. Liu, Fast approximation of time–frequency representations at arbitrary frequencies	68	(3) (1998)	225–231
Chiann, C., *see* D.R. Brillinger	80	(8) (2000)	1607–1627
Chingyu Yang, J. and W.-H. Tsai, Suppression of moiré patterns in scanned halftone images	70	(1) (1998)	23–42
Choi, J., A joint multiple access scheme using spatial and waveform signatures	74	(2) (1999)	179–197
Choi, J., Sufficient conditions of the redundancy-transform for the blind single channel identification	79	(2) (1999)	151–160
Choi, S.-J., *see* E.T. Kim	73	(3) (1999)	291–295
Choi, T.-Y. *see* H.-Y. Jung	63	(1) (1997)	35–43

Chongfu, H., Demonstration of benefit of information distribution for probability estimation	80	(6) (2000)	1037–1048
Chow, T.W.S., *see* Y. Fang	76	(1) (1999)	37–42
Chow, T.W.S., H.-Z. Tan and G. Fei, Third-order cumulant RLS algorithm for nonminimum ARMA systems identification	61	(1) (1997)	23–38
Christopoulos, C., *see* D. Nister	78	(1) (1999)	1–17
Chun, J. and J. Chun, Nonlinear filtering using the wavelet transform	80	(3) (2000)	441–450
Chun, J., *see* J. Chun	80	(3) (2000)	441–450
Chung, K.-L. and Y.-K. Lin, A generalized pipelined median filter network	63	(1) (1997)	101–106
Chung, K.-L. and W.-M. Yan, On matrix factorizations for recursive pruned discrete cosine transforms	68	(2) (1998)	175–182
Chung, K.-L. and Y.-K. Lin, A novel memory-efficient Huffman decoding algorithm and its implementation	62	(2) (1997)	207–213
Cibas, T., *see* P. Gallinari	74	(1) (1999)	29–46
Cichocki, A., *see* H. Yang	64	(3) (1998)	291–300
Cid-Sueiro, J., L.M. José-Revuelta and A. Figueiras-Vidal, Soft-decision equalizers for in-service error rate monitoring	80	(4) (2000)	741–744
Clouard, R., *see* A. Elmoataz	71	(2) (1998)	215–226
Coates, M.J. and W.J. Fitzgerald, Regionally optimised time–frequency distributions using finite mixture models	77	(3) (1999)	247–260
Cohen, I., S. Raz and D. Malah, Adaptive suppression of Wigner interference-terms using shift-invariant wavelet packet decompositions	73	(3) (1999)	203–223
Cohen, I., S. Raz and D. Malah, Translation-invariant denoising using the minimum description length criterion	75	(3) (1999)	201–223
Cohen, L., P. Loughlin and D. Vakman, On an ambiguity in the definition of the amplitude and phase of a signal	79	(3) (1999)	301–307
Colin, M., *see* M. Gharbi	80	(7) (2000)	1299–1306
Collins, L.M., *see* P. Gao	80	(8) (2000)	1669–1686
Colonnese, S., *see* A. Neri	66	(2) (1998)	219–232
Comon, P., *see* L. De Lathauwer	73	(1–2) (1999)	1–2
Comon, P., *see* B. Emile	69	(1) (1998)	93–100
Conforto, S. and T. D'Alessio, Optimal estimation of power spectral density by means of a time-varying autoregressive approach	72	(1) (1999)	1–14
Cong, S., *see* L. Hong	71	(1) (1998)	55–77
Conradsen, K., *see* N. Schultz	71	(2) (1998)	141–153
Constantinides, A.G. *see* B. Baykal	63	(3) (1997)	241–247
Corke, P., *see* S.K. Kopparapu	80	(11) (2000)	2407–2420
Corlay, P., *see* M. Gharbi	80	(7) (2000)	1299–1306
Cornelis, J., *see* I.E. Pratikakis	75	(2) (1999)	173–195
Corredera, J.-R.C., *see* J. Ruiz-Alzola	80	(1) (2000)	23–43
Correia, P. and F. Pereira, The role of analysis in content-based video coding and indexing	66	(2) (1998)	125–142
Corriveau, P., C. Gojmerac, B. Hughes and L. Stelmach, All subjective scales are not created equal: The effects of context on different scales	77	(1) (1999)	1–9
Corte, A.La, Generation of crosscorrelated random processes	79	(3) (1999)	223–234
Costa, J.-P., L. Pronzato and E. Thierry, Nonlinear prediction by kriging, with application to noise cancellation	80	(4) (2000)	553–566
Courmontagne, Ph., A new formulation for the Karhunen–Loeve expansion	79	(3) (1999)	235–249

Cowan, C.F., *see* C. Rusu	80	(11) (2000)	2457–2473
Cowan, C.F.N., *see* C.-M.S. See	78	(2) (1999)	127–138
Cowley, W.G., Reference symbols can improve performance over differential coding in ML and near-ML detectors	71	(1) (1998)	95–99
Crandall, P.E., *see* S. Qiu	77	(2) (1999)	159–170
Crespo, J., R.W. Schafer, J. Serra, C. Gratin and F. Meyer, The flat zone approach: A general low-level region merging segmentation method	62	(1) (1997)	37–60
Cristi, R. and M. Tummala, Multirate, multiresolution, recursive Kalman filter	80	(9) (2000)	1945–1958
Cristi, R., *see* A.M. Aziz	76	(2) (1999)	195–209
Cruces, S. and L. Castedo, Stability analysis of adaptive algorithms for blind source separation of convolutive mixtures	78	(3) (1999)	265–275
Csizmadia, N., *see* A.J.E.M. Janssen	80	(10) (2000)	2075–2098
Cui, N., *see* L. Hong	80	(8) (2000)	1561–1575
Cui, N., *see* L. Hong	71	(1) (1998)	55–77
Curtelin, R., *see* H. Zaragoza	64	(3) (1998)	371–382
Cusani, R., *see* E. Baccarelli	79	(1) (1999)	1–13
Cusani, R., E. Baccarelli and S. Galli, Equalization of twisted-pair channels via optimum filtering and noise prediction	66	(1) (1998)	79–93
Dai, D.-Q., T.-M. Shih and F.-T. Chau, Polynomial preserving algorithm for digital image interpolation	67	(1) (1998)	109–121
Dai, X., Cumulant-based training algorithms of two-layer feedforward neural networks	80	(8) (2000)	1597–1606
Dapena, A. and L. Castedo, Stochastic gradient adaptive algorithms for blind source separation	75	(1) (1999)	11–27
D'Alessio, T., *see* S. Conforto	72	(1) (1999)	1–14
Das, J. *see* N. Chatterjee	62	(2) (1997)	229–235
Das, J., *see* P. Pal	74	(2) (1999)	153–168
D'Attellis, C.E. *see* G.A. Hirchoren	63	(1) (1997)	55–63
de Carvalho, E. and D.T. Slock, Burst mode equalization: optimal approach and suboptimal continuous-processing approximation	80	(10) (2000)	1999–2015
De Coster, L., R. Lauwereins and J.A. Peperstraete, Rapid prototyping of an adaptive noise canceler using GRAPE	64	(1) (1998)	61–70
De Lathauwer, L. and P. Comon, Editorial	73	(1–2) (1999)	1–2
de Mori, R., *see* B. Bigi	80	(6) (2000)	1085–1097
den Brinker, A.C. and B.E. Sarroukh, Modulated Hermite series expansions and the time-bandwidth product	80	(2) (2000)	243–250
De Vleeschouwer, C., *see* J.F. Delaigle	66	(3) (1998)	319–335
Declercq, D. and P. Duvaut, Hermite normality tests	69	(2) (1998)	101–116
Declercq, D., *see* P. Duvaut	75	(1) (1999)	93–98
Deene, Y. De, R.Va Walle, E. Achten and C. De Wagter, Mathematical analysis and experimental investigation of noise in quantitative magnetic resonance imaging applied in polymer gel dosimetry	70	(2) (1998)	85–101
Del Re, E. and Ronga, L.S., Blind adaptive MUD with silence listening	61	(2) (1997)	91–100
Delaigle, J.F., C. De Vleeschouwer and B. Macq, Watermarking algorithm based on a human visual model	66	(3) (1998)	319–335
Delic, H., Distributed weak signal detection and asymptotic relative efficiency in dependent noise	77	(3) (1999)	335–342

Delingette, H., *see* J. Montagnat	71	(2) (1998)	173–186
Delmas, J.-P., Performances analysis of a Givens parametrized adaptive eigenspace algorithm	68	(1) (1998)	87–105
Delmas, J.-P., On eigenvalue decomposition estimators of centro-symmetric covariance matrices	78	(1) (1999)	101–116
Deloof, P. *see* J. Assaad	61	(1) (1997)	83–88
Dembélé, D. and G. Favier, Recursive estimation of fourth-order cumulants with application to identification	68	(2) (1998)	127–139
Demeechai, T. and K. Mäkeläinen, Integration of tonal knowledge into phonetic HMMs for recognition of speech in tone languages	80	(10) (2000)	2241–2247
Demeechai, T. and K. Mäkeläinen, Using energy contour information to improve performance of HMM speech recognizer	80	(10) (2000)	2237–2240
Dempster, A.G. and N.P. Murphy, The binomial window: Heuristics and metrics	80	(12) (2000)	2641–2645
Dempster, A.G., *see* R. Beck	80	(1) (2000)	161–183
Dempster, A.G. and N.P. Murphy, Lagrange interpolator filters and binomial windows	76	(1) (1999)	81–91
Deng, T.-B., Design of arbitrarily variable 2-D digital filters using array–array decomposition	66	(1) (1998)	95–110
Deng, T.-B., New method for designing stable recursive variable digital filters	64	(2) (1998)	197–207
Deng, T.B., Weighted least-squares method for designing arbitrarily variable 1-D FIR digital filters	80	(4) (2000)	597–613
Deriche, M. *see* S. Kasaei	62	(3) (1997)	361–366
Desai, U.B., *see* S.K. Kopparapu	80	(11) (2000)	2407–2420
Desset, C., *see* B. Macq	80	(7) (2000)	1167–1184
Deville, Y., *see* N. Charkani	73	(3) (1999)	225–254
Deville, Y., *see* N. Charkani	75	(2) (1999)	117–140
Dib, S. *see* M. Barkat	61	(3) (1997)	289–295
Ding, Z. and L. Hong, A distributed IMM fusion algorithm for multi-platform tracking	64	(2) (1998)	167–176
Ding, Z., *see* J. Zhu	76	(2) (1999)	105–115
Ding, Z., *see* G. Li	80	(10) (2000)	2017–2031
Djebbari, A., *see* J.M. Rouvaen	79	(1) (1999)	67–72
Djebbari, A., J.M. Rouvaen, AL. Djebbari, M.F. Belbachir and S.A. Elahmar, A new approach to the design of limit cycle-free IIR digital filters using eigenfilter method	72	(3) (1999)	193–198
Djebbari, A., J.M. Rouvaen, Al. Djebbari and M.F. Belbachir, Noise reduction in high-order IIR filters using optimal error feedback based upon a Chebyshev criterion	64	(2) (1998)	177–183
Djebbari, A., M.F. Belbachir and J.M. Rouvaen, A fast exhaustive search algorithm for checking limit cycles in fixed-point digital filters	69	(2) (1998)	199–205
Djebbari, AL. *see* A. Djebbari	72	(3) (1999)	193–198
Djebbari, Al., *see* J.M. Rouvaen	79	(1) (1999)	67–72
Djebbari, Al., *see* A. Djebbari	64	(2) (1998)	177–183
Djurović, I. and L. Stanković, Time–frequency representation based on the reassigned S-method	77	(1) (1999)	115–120
Docio, L., *see* J.L. Alba	76	(1) (1999)	43–60
Docampo, D., *see* J.L. Alba	76	(1) (1999)	43–60

Doğançay, K. and V. Krishnamurthy, Blind identification of fractionally spaced communication channels with Markov inputs 77 (3) (1999) 275–288
Doğançay, K. and V. Krishnamurthy, On fast aggregation of Markov chain functionals using stochastic complementation 74 (3) (1999) 223–237
Dooley, S.R. and A.K. Nandi, Subsample time delay estimation with variable step size control 80 (2) (2000) 343–347
Dooley, S.R. and A.K. Nandi, On explicit time delay estimation using the Farrow structure 72 (1) (1999) 53–57
Doolittle, E.J., *see* S.E. Ferrando 80 (10) (2000) 2099–2120
Doroslovački, M., Product of second moments in time and frequency for discrete-time signals and the uncertainty limit 67 (1) (1998) 59–76
Doucet, A., *see* C. Andrieu 74 (3) (1999) 239–252
Doucet, A., *see* O. Cappé 73 (1–2) (1999) 3–25
Dougherry, E.R. *see* Y. Chen 61 (1) (1997) 65–81
Dougherty, E.R., *see* J. Barrera 80 (8) (2000) 1469–1487
Dougherty, E.R., *see* J.C. Handley 69 (2) (1998) 163–168
Dougherty, E.R., *see* R. Hirata Jr. 80 (4) (2000) 697–721
Dougherty, E.R., S. Kim and Y. Chen, Coefficient of determination in nonlinear signal processing 80 (10) (2000) 2219–2235
Dougherty, E.R., *see* O.V. Sarca 71 (3) (1998) 247–263
Doulamis, A.D., N.D. Doulamis and S.D. Kollias, A fuzzy video content representation for video summarization and content-based retrieval 80 (6) (2000) 1049–1067
Doulamis, N.D., *see* A.D. Doulamis 80 (6) (2000) 1049–1067
Drasko Furundzic, Application example of neural networks for time series analysis: Rainfall–runoff modeling 64 (3) (1998) 383–396
Du, C., *see* L. Xie 80 (11) (2000) 2365–2378
Dubuisson-Jolly, M.-P., *see* A.K. Jain 71 (2) (1998) 109–129
Duchêne, J., *see* M. Khalil 75 (3) (1999) 239–251
Dufour, R.M. and E.L. Miller, Statistical signal restoration with $1/f$ wavelet domain prior models 78 (3) (1999) 289–307
Durnerin, M. and N. Martin, Minimum variance filters and mixed spectrum estimation 80 (12) (2000) 2597–2608
Durrani, T.S. *see* A. Alkulaibi 63 (2) (1997) 133–140
Dutt, D.N. *see* P.K. Sadasivan 62 (2) (1997) 173–186
Duvaut, P., *see* D. Declercq 69 (2) (1998) 101–116
Duvaut, P., *see* E. Jay 80 (12) (2000) 2527–2540
Duvaut, P. and D. Declercq, Statistical properties of the pseudo-Wigner–Ville representation of normal random processes 75 (1) (1999) 93–98

Eckert, M.P. and A.P. Bradley, Perceptual quality metrics applied to still image compression 70 (3) (1998) 177–200
Eisert, P., *see* E. Steinbach 66 (2) (1998) 233–247
Elahmar, S.A., *see* A. Djebbari 72 (3) (1999) 193–198
El-Bèze, M., *see* B. Bigi 80 (6) (2000) 1085–1097
El-Jaroudi, A., *see* M.K. Emresoy 64 (2) (1998) 157–165
El Mashade, M.B., Detection analysis of CA family of adaptive radar schemes processing M-correlated sweeps in homogeneous and multiple-target environments 80 (5) (2000) 787–801

Elmoataz, A., S. Schüpp, R. Clouard, P. Herlin and D. Bloyet, Using active contours and mathematical morphology tools for quantification of immunohistochemical images 71 (2) (1998) 215–226
El-Ramly, S.H., *see* E. Eweda 69 (2) (1998) 157–162
Elshafei-Ahmed, M., Fast methods for split codebooks 80 (12) (2000) 2553–2565
Emanuel Savin, C., M. Omair Ahmad, M.N.S. Swamy, A modified binary-tree search architecture for two-dimensional stack filtering 61 (1) (1997) 45–63
Emile, B. and P. Comon, Estimation of time delays between unknown colored signals 69 (1) (1998) 93–100
Emresoy, M.K. and A. El-Jaroudi, Iteractive instantaneous frequency estimation and adaptive matched spectrogram 64 (2) (1998) 157–165
Engan, K., S. Aase and J. Husøy, Multi-frame compression: theory and design 80 (10) (2000) 2121–2140
Engelsberg, A. *see* T. Gülzow 64 (1) (1998) 5–19
Eriksson, J. and M. Viberg, Adaptive data reduction for signals observed in spatially colored noise 80 (9) (2000) 1823–1831
Erinnoviar, *see* S. Hayashi 72 (2) (1999) 97–105
Estes, Jr., R.R., *see* V.Ra Algazi 70 (3) (1998) 215–229
Esteves, N.L. *see* J.A.B. Gerald 61 (1) (1997) 1–8
Eweda, E., W.M. Younis and S.H. El-Ramly, Tracking performance of a quantized adaptive filter equipped with the sign algorithm 69 (2) (1998) 157–162
Ezzine, J., *see* H. Besbes 80 (7) (2000) 1373–1384

Fan, K.-C., K.-S. Kan and J.-C. Chang, Edge preservance and block effect reduction by block coefficient diffusion method 61 (2) (1997) 171–180
Fan, K.-C., *see* K.-S. Kan 67 (2) (1998) 223–235
Fan, K.-C., *see* W.-L. Lee 70 (1) (1998) 53–60
Fan, K.-C., *see* W.-L. Lee 80 (1) (2000) 45–55
Fan, X., *see* N.H. Younan 71 (1) (1998) 85–93
Fang, Y., T.W.S. Chow and K.T. Ng, Linear neural network based blind equalization 76 (1) (1999) 37–42
Fantuzzi, C., *see* R. Rovatti 80 (6) (2000) 951–963
Farhang-Boroujeny, B. and Z. Wang, Adaptive filtering in subbands: Design issues and experimental results for acoustic echo cancellation 61 (3) (1997) 213–223
Farhang-Boroujeny, B., *see* K.S. Chan 78 (1) (1999) 79–89
Farina, A. and M. Grazzini, Radar fusion to detect dim targets 80 (9) (2000) 1833–1847
Farina, A. and M. Valeri, Recovery of antenna pattern loss in a search radar 65 (3) (1998) 329–336
Farina, A. and R. Miglioli, Association of active and passive tracks for airborne sensors 69 (3) (1998) 209–217
Farina, A., *see* F. Gini 75 (2) (1999) 161–171
Farina, A., F. Lombardini and L. Verrazzani, Detection fusion from dual resolution colocated radars 80 (5) (2000) 803–808
Farina, A., G. Gabatel and R. Sanzullo, Estimation of target direction by pseudo-monopulse algorithm 80 (2) (2000) 295–310
Farina, A., Target tracking with bearings – Only measurements 78 (1) (1999) 61–78
Fassois, S.D., *see* R. Ben Mrad 65 (1) (1998) 21–38
Fassois, S.D., *see* R.Be Mrad 65 (1) (1998) 1–19
Favier, G., *see* D. Dembélé 68 (2) (1998) 127–139
Fedele, G., *see* P. Lombardo 67 (1) (1998) 49–57

Fei, G. *see* T.W.S. Chow	61	(1) (1997)	23–38
Feng, D.-Z., Z. Bao and W.-X. Shi, Cross-correlation neural network models for the smallest singular component of general matrix	64	(3) (1998)	333–346
Feng, G., *see* S.B. Zahir Azami	80	(7) (2000)	1289–1298
Fernández, F. and J. Gutiérrez, Specification and optimization of fuzzy systems using convolution techniques	80	(6) (2000)	935–949
Fernández-Rubio, J.A. *see* O. Muñoz	61	(2) (1997)	113–129
Ferrando, S.E., E.J. Doolittle, A.J. Bernal and L.J. Bernal, Probabilistic matching pursuit with Gabor dictionaries	80	(10) (2000)	2099–2120
Fertner, A., Signal reconstruction algorithm for timing jitter compensation in frequency-domain echo cancellers	63	(2) (1997)	141–149
Figueiras Vidal, A.R., Editorial	74	(1) (1999)	1–2
Figueiras-Vidal, A., *see* J. Cid-Sueiro	80	(4) (2000)	741–744
Figueiras-Vidal, A.R. *see* C. Bousoño-Calzón	61	(2) (1997)	157–170
Fitzgerald, W.J., *see* M.J. Coates	77	(3) (1999)	247–260
Fitzgerald, W.J., *see* E.E. Kuruoğlu	69	(1) (1998)	1–14
Flagiello, F., S. Marano and M. Longo, Efficient all-sky search of continuous gravitational waves by locally optimum detection	72	(3) (1999)	183–192
Flaig, A., K.E. Barner and G.R. Arce, Fuzzy ranking: theory and applications	80	(6) (2000)	1017–1036
Fonollosa, J.R., *see* J.M. Goldberg	65	(2) (1998)	181–197
Fraile, D., *see* M.An Losada	80	(7) (2000)	1281–1288
Franzen, O., H. Blume and H. Schröder, FIR-filter design with spatial and frequency design constraints using evolution strategies	68	(3) (1998)	295–306
Frattale Mascioli, F.M. and G. Martinelli, A constructive approach to neuro-fuzzy networks	64	(3) (1998)	347–358
Frigui, H., *see* P.D. Gader	80	(6) (2000)	1069–1084
Funaki, K., Y. Miyanaga and K. Tochinai, Recursive ARMAX speech analysis based on a glottal source model with phase compensation	74	(3) (1999)	279–295
Gabatel, G., *see* A. Farina	80	(2) (2000)	295–310
Gader, P.D., B.N. Nelson, H. Frigui, G. Vaillette and J.M. Keller, Fuzzy logic detection of landmines with ground penetrating radar	80	(6) (2000)	1069–1084
Galleani, L., L. Presti and A. Stefano, A method for nonlinear system classification in the time–frequency plane	65	(1) (1998)	147–153
Gallego, A., *see* D.P. Ruiz	65	(3) (1998)	403–406
Galli, S., *see* R. Cusani	66	(1) (1998)	79–93
Gallinari, P., *see* H. Zaragoza	64	(3) (1998)	371–382
Gallinari, P. and T. Cibas, Practical complexity control in multilayer perceptions	74	(1) (1999)	29–46
Galtier, F. and O. Besson, On-line joint detection of particles' arrival and estimation of speed in laser anemometry	67	(3) (1998)	291–305
Gan, W.-S. *see* F. Jinwei	62	(2) (1997)	251–256
Ganesan, G. and K.V.S. Hari, HOS-based orthogonal subspace algorithm for causal ARMA system identification	80	(3) (2000)	535–542
Gänsler, T., A double-talk resistant subband echo canceller	65	(1) (1998)	89–101
Gao, P. and L.M. Collins, A two-dimensional generalized likelihood ratio test for land mine and small unexploded ordnance detection	80	(8) (2000)	1669–1686
Gao, X.-Q., *see* Y. Tan	69	(1) (1998)	29–48

Gao, X.-Q., Z.-Y. He and X.-G. Xia, The theory and implementation of arbitrary-length linear-phase cosine-modulated filter bank 80 (5) (2000) 889–896
Garcia, A.G., *see* A.I. Zayed 77 (1) (1999) 111–114
García, J., *see* S. Olmos 79 (1) (1999) 97–115
Garcia, D., *see* L. Garrido 66 (2) (1998) 157–180
Garel, B., *see* M. Ghogho 75 (2) (1999) 99–116
Garrido, L., P. Salembier and D. Garcia, Extensive operators in partition lattices for image sequence analysis 66 (2) (1998) 157–180
Gazalet, M., *see* M. Gharbi 80 (7) (2000) 1299–1306
Gelenbe, E., K. Harmanı and J. Krolik, Learning neural networks for detection and classification of synchronous recurrent transient signals 64 (3) (1998) 233–247
Genuit, K., *see* W. Krebber 80 (11) (2000) 2307–2322
Georgoulakis, K. and S. Theodoridis, Blind and semi-blind equalization using hidden Markov models and clustering techniques 80 (9) (2000) 1795–1805
Gerald, J.A.B., N.L. Esteves and M.M. Silva, IIR echo canceller using a dual error criterion and incorporating a lattice structure 61 (1) (1997) 1–8
Gerek, Ö., *see* M.Na Gürcan 64 (2) (1998) 209–213
Gershman, A.B., *see* D.A. Orlov 76 (3) (1999) 323–326
Gershman, A.B., L. Stanković and V. Katkovnik, Sensor array signal tracking using a data-driven window approach 80 (12) (2000) 2507–2515
Gershman, A.B. and J.F. Böhme, A pseudo-noise approach to direction finding 71 (1) (1998) 1–13
Gershman, A.B. and P. Stoica, New MODE-based techniques for direction finding with an improved threshold performance 76 (3) (1999) 221–235
Ghanbari, M., *see* K.T. Tan 70 (3) (1998) 279–294
Gharbi, M., M. Colin, M. Gazalet and P. Corlay, Factorization of perfect reconstruction modulated filter banks with variable global delay 80 (7) (2000) 1299–1306
Ghasemi, M., *see* M.A. Masnadi-Shirazi 80 (10) (2000) 2169–2186
Ghogho, M., *see* J. Bakkoury 80 (7) (2000) 1347–1360
Ghogho, M., A. Swami and A.K. Nandi, Non-linear least squares estimation for harmonics in multiplicative and additive noise 78 (1) (1999) 43–60
Ghogho, M. and B. Garel, Maximum likelihood estimation of amplitude-modulated time series 75 (2) (1999) 99–116
Ghose, K. and V.U. Reddy, A double-talk detector for acoustic echo cancellation applications 80 (8) (2000) 1459–1467
Gierlich, H.-W., *see* W. Krebber 80 (11) (2000) 2307–2322
Gilloire, A. *see* C. Beaugeant 64 (1) (1998) 33–47
Gilloire, A., P. Scalart, C. Lamblin, C. Mokbel and S. Proust, Innovative speech processing for mobile terminals: an annotated bibliography 80 (7) (2000) 1149–1166
Gini, F., A. Farina and F. Lombardini, Effects of foliage on the formation of K-distributed SAR imagery 75 (2) (1999) 161–171
Gini, F., M. Montanari and L. Verrazzani, Maximum likelihood, ESPRIT, and periodogram frequency estimation of radar signals in K-distributed clutter 80 (6) (2000) 1115–1126
Gini, F., Performance analysis of two structured covariance matrix estimators in compound-Gaussian clutter 80 (2) (2000) 365–371
Giridhar, K., *see* K. Vasudevan 78 (2) (1999) 159–176
Girod, B., *see* E. Steinbach 66 (2) (1998) 233–247
Girod, B., *see* F. Hartung 66 (3) (1998) 283–301

Giurcăneanu, C., I. Tăbuş and J. Astola, Adaptive context-based sequential prediction for lossless audio compression 80 (11) (2000) 2283–2294
Glendinning, R.H., Robust shape classification 77 (2) (1999) 121–138
Glentis, G.O., C.H. Slump and O.E. Herrmann, A true order recursive algorithm for two-dimensional mean squared error linear prediction and filtering 80 (8) (2000) 1399–1418
Gojmerac, C., *see* P. Corriveau 77 (1) (1999) 1–9
Gold, D., *see* H. Ur 64 (2) (1998) 145–155
Goldberg, J.M. and J.R. Fonollosa, Downlink beamforming for spatially distributed sources in cellular mobile communications 65 (2) (1998) 181–197
Goldfeld, L. and D. Wulich, Performance of an MPSK correlation demodulator with decision feedback carrier recovery in the presence of a speech signal 61 (3) (1997) 225–235
Gorokhov, A. and P. Loubaton, Blind identification of MIMO-FIR systems: A generalized linear prediction approach 73 (1–2) (1999) 105–124
Granada, F., *see* P. Ladret 79 (2) (1999) 197–204
Granelli, F., *see* M. Accame 80 (6) (2000) 1127–1131
Granger, E., Y. Savaria, P. Lavoie and M.-A. Cantin, A comparison of self-organizing neural networks for fast clustering of radar pulses 64 (3) (1998) 249–269
Granlund, G.H., The complexity of vision 74 (1) (1999) 101–126
Grant, P.M., *see* J.S. Thompson 68 (1) (1998) 23–41
Grant, P.M., *see* P.M. Antoszczyszyn 66 (2) (1998) 249–260
Gratin, C. *see* J. Crespo 62 (1) (1997) 37–60
Grazzini, M., *see* A. Farina 80 (9) (2000) 1833–1847
Grion, S., *see* U. Spagnolini 68 (3) (1998) 233–257
Grüter, R., *see* J.-M. Vesin 78 (3) (1999) 321–327
Gu, H., *see* Y. Zhu 73 (3) (1999) 191–201
Guillon, S., P. Baylou, M. Najim and N. Keskes, Adaptive nonlinear filters for 2D and 3D image enhancement 67 (3) (1998) 237–254
Günsel, B., A.Murat Tekalp and P.J. Beek, Content-based access to video objects: Temporal Segmentation, visual summarization, and feature extraction 66 (2) (1998) 261–280
Guo, J.-K., C.-H. Chen and J.-D. Lee, Multi-polyhedron reconstruction in a three-view system using relaxation 77 (2) (1999) 171–193
Gürcan, M.Na, Ö. Gerek and A.En Çetin, Nonlinear subband decomposition structures in GF-(N) arithmetic 64 (2) (1998) 209–213
Gustafsson, S., R. Martin and P. Vary, Combined acoustic echo control and noise reduction for hands-free telephony 64 (1) (1998) 21–32
Gutiérrez, J., *see* F. Fernández 80 (6) (2000) 935–949
Gülzow, T., A. Engelsberg and U. Heute, Comparison of a discrete wavelet transformation and a nonuniform polyphase filterbank applied to spectral-subtraction speech enhancement 64 (1) (1998) 5–19

Hajjari, A., *see* A. Bencheqroune 78 (2) (1999) 191–199
Håkegård, J., *see* S. Bäro 80 (7) (2000) 1385–1392
Hall, T.E., *see* A.Z. Tirkel 66 (3) (1998) 373–383
Hamadouche, M., M. Barakat and M. Khodja, Analysis of the clutter map CFAR in Weibull clutter 80 (1) (2000) 117–123
Han, D.-S., VLSI architectures for CFAR detectors based on order statistics 62 (1) (1997) 73–86

Han, J.-K. and H.-M. Kim, Optimization of QAM signal constellation in the presence of Rayleigh fading 68 (1) (1998) 113–118
Händel, P. and P. Tichavský, Asymptotic noise gain of polynomial predictors 62 (2) (1997) 247–250
Handley, J.C. and E.R. Dougherty, Probability distributions for discrete one-dimensional coverage processes 69 (2) (1998) 163–168
Hannah, J.M., *see* P.M. Antoszczyszyn 66 (2) (1998) 249–260
Hansen, L.K., *see* M. Torlak 73 (1–2) (1999) 153–167
Hänsler, E. and G. Schmidt, Hands-free telephones – joint control of echo cancellation and postfiltering 80 (11) (2000) 2295–2305
Hari, K.V.S., *see* G. Ganesan 80 (3) (2000) 535–542
Hari, K.V.S. and B.V. Ramakrishnan, Performance analysis of a modified spatial smoothing technique for direction estimation 79 (1) (1999) 73–85
Harmanı, K., *see* E. Gelenbe 64 (3) (1998) 233–247
Härmä, A., Implementation of frequency-warped recursive filters 80 (3) (2000) 543–548
Harteneck, M., J.M. Páez-Borrallo and R.W. Stewart, An oversampled sub-band adaptive filter without cross adaptive filters 64 (1) (1998) 93–101
Hartung, F. and B. Girod, Watermarking of uncompressed and compressed video 66 (3) (1998) 283–301
Hasan, M.A., DOA and frequency estimation using fast subspace algorithms 77 (1) (1999) 49–62
Hashlamoun, W.A. and W.S. Kafri, A unified framework for evaluating bounds on the Bayesian cost 71 (3) (1998) 279–289
Hatzinakos, D., *see* W.I. Tam 77 (1) (1999) 85–104
Hatzinakos, D., *see* A.M. Kuzminskiy 80 (10) (2000) 2063–2073
Hatzinakos, D., *see* J. Ilow 65 (2) (1998) 199–219
Hayashi, S., M. Suguimoto and Erinnoviar, Low bit-rate CELP speech coder with low delay 72 (2) (1999) 97–105
He, M., A parallel-distributed processing for time-domain deconvolution coefficients 74 (3) (1999) 309–315
He, Z., *see* L. Luo 69 (2) (1998) 191–198
He, Z.-Y., *see* X.-Q. Gao 80 (5) (2000) 889–896
He, Z.-Y., *see* Y. Tan 69 (1) (1998) 29–48
Hérault, J., *see* A. Spinei 65 (3) (1998) 347–362
Heinle, F., R. Rabenstein and A. Stenger, A measurement method for the linear and nonlinear properties of electro-acoustic transmission systems 64 (1) (1998) 49–60
Herique, A., Optimal windows for step frequency radar 62 (3) (1997) 335–349
Herlin, P., *see* A. Elmoataz 71 (2) (1998) 215–226
Hermanowicz, E., M. Rojewski, G.D. Cain and Andrzej Tarczynski, Special discrete-time filters having fractional delay 67 (3) (1998) 279–289
Hernández, J.R., J.M. Rodríguez and F. Pérez-González, Improving the performance of spatial watermarking of images using channel coding 80 (7) (2000) 1261–1280
Herrmann, O.E., *see* G.O. Glentis 80 (8) (2000) 1399–1418
Heute, U. *see* T. Gülzow 64 (1) (1998) 5–19
Heute, U., Hans Wilhelm Schüßler celebrates his 70th birthday 64 (1) (1998) 3–4
Hirata Jr., R., E.R. Dougherty and J. Barrera, Aperture filters 80 (4) (2000) 697–721
Hirchoren, G.A. and C.E. D'Attellis, On the optimal number of scales in estimation of fractal signals using wavelets and filter banks 63 (1) (1997) 55–63
Ho, D.K., *see* Q.-G. Liu 80 (5) (2000) 831–847
Holt, A.G.J., *see* F. Marir 64 (2) (1998) 193–196

Hong, L. and N. Cui, An interacting multipattern joint probabilistic data association (IMP-JPDA) algorithm for multitarget tracking 80 (8) (2000) 1561–1575
Hong, L., *see* Z. Ding 64 (2) (1998) 167–176
Hong, L., N. Cui, S. Cong and D. Wicker, An interacting multipattern date association (IMPDA) tracking algorithm 71 (1) (1998) 55–77
Hong, S.-W., Y.-H. Chan and W.-C. Siu, A new approach for real-time reduction of blocking effect 65 (3) (1998) 337–346
Høst-Madsen, A., Joint delay and impulse response estimation using sliding RLS filters 80 (8) (2000) 1489–1500
Hoya, T., Y. Loke, J.A. Chambers and P.A. Naylor, Application of the leaky extended LMS (XLMS) algorithm in stereophonic acoustic echo cancellation 64 (1) (1998) 87–91
Hsia, S.-C., *see* C.-C. Tseng 80 (1) (2000) 151–159
Hsu, T.-F., *see* J.-H. Lee 80 (11) (2000) 2475–2480
Hsueh, Yung-Cheh, *see* R.-S. Lin 80 (2) (2000) 279–293
Hua, Y., *see* K. Abed-Meraim 69 (1) (1998) 15–27
Hua, Y., *see* Q. Cheng 66 (1) (1998) 61–77
Huang, D.-F. and B.-S. Chen, A multi-input–multi-output system approach for the computation of discrete fractional Fourier transform 80 (8) (2000) 1501–1513
Huang, Y.-J., *see* B.-S. Chen 68 (1) (1998) 43–57
Huang, Y.-J. and B.-S. Chen, Decision feedback equalization of frequency-selective Rician fading channels 76 (2) (1999) 117–133
Huang, Y.M. and J.-L. Wu, Polynomial transform based algorithms for computing two-dimensional generalized DFT, generalized DHT, and skew circular convolution 80 (10) (2000) 2255–2260
Huet, C. and J. Le Roux, Linear system blind identification based on fourth order spectral analysis 77 (2) (1999) 209–228
Hughes, B., *see* P. Corriveau 77 (1) (1999) 1–9
Hughett, P., A representation theorem for local LSI operators on two-sided sequences 63 (2) (1997) 169–173
Hughett, P., Representation theorems for semilocal and bounded linear shift-invariant operators on sequences 67 (2) (1998) 199–209
Hughett, P., A natural vector space of two-sided discrete-time signals 78 (2) (1999) 177–189
Hung, J.-C., *see* B.-S. Chen 80 (2) (2000) 311–331
Husøy, J., *see* K. Engan 80 (10) (2000) 2121–2140
Hyvärinen, A. and E. Oja, Independent component analysis by general nonlinear Hebbian-like learning rules 64 (3) (1998) 301–313

Ibnkahla, M., Applications of neural networks to digital communications – a survey 80 (7) (2000) 1185–1216
Ibrahim, M.K., *see* A. Aggoun 68 (1) (1998) 73–86
Ichige, K., N. Otsuka and R. Ishii, Properties of the frequency transformation matrices for IIR digital filters 71 (3) (1998) 227–233
Ihm, B.-C. and D.-J. Park, Blind separation of sources using higher-order cumulants 73 (3) (1999) 267–276
Iickho, S. *see* B. Jinsoo 62 (2) (1997) 257–264
Iickho, S. *see* B. Jinsoo 63 (2) (1997) 121–131
Ikehara, M., T. Nagai and T.Q. Nguyen, Time-domain design and lattice structure of FIR paraunitary filter banks with linear phase 80 (2) (2000) 333–342

Illgner, K., DSPs for image and video processing 80 (11) (2000) 2323–2336
Ilow, J. and D. Hatzinakos, Applications of the empirical characteristic function to estimation and detection problems 65 (2) (1998) 199–219
Irizarry, R.A., *see* D.R. Brillinger 65 (2) (1998) 161–179
Irizarry, R.A., *see* D.R. Brillinger 80 (8) (2000) 1607–1627
Ishida, Y., *see* M. Namba 68 (1) (1998) 119–124
Ishii, R., *see* K. Ichige 71 (3) (1998) 227–233
Islam, S.M., *see* H. Akçay 68 (3) (1998) 307–315
Iwamoto, K., *see* Y. Xiao 69 (2) (1998) 131–147

Jae Moon, S., *see* H. Lee 80 (1) (2000) 211–217
Jaidane-Saidane, M., *see* H. Besbes 80 (7) (2000) 1373–1384
Jain, A.K., Y. Zhong, M.-P. Dubuisson-Jolly, Deformable template models: A review 71 (2) (1998) 109–129
Jakeman, E., *see* K.D. Ridley 80 (9) (2000) 1895–1907
Jakobsson, A., *see* P. Stoica 74 (3) (1999) 327–330
Jakobsson, A., *see* P. Stoica 66 (1) (1998) 45–59
Jané, R., *see* S. Olmos 79 (1) (1999) 97–115
Janssen, A.J.E.M. and N. Csizmadia, Fourier analysis and synthesis for a mildly non-linear quantizer 80 (10) (2000) 2075–2098
Jansson, M., *see* M. Kristensson 79 (1) (1999) 29–44
Jansson, M. and P. Stoica, Forward-only and forwardbackward sample covariances: A comparative study 77 (3) (1999) 235–245
Jay, E., J.-P. Ovarlez and P. Duvaut, New methods of radar performances analysis 80 (12) (2000) 2527–2540
Jelonnek, B., *see* D. Boss 66 (1) (1998) 1–26
Jelonnek, B., D. Boss and K. Kammeyer, Generalized eigenvector algorithm for blind equalization 61 (3) (1997) 237–264
Ji, L., *see* C. Weerasinghe 78 (2) (1999) (215–230
Ji, L., *see* C. Weerasinghe 80 (5) (2000) 867–881
Jian, G., H. You and P. Ying-Ning, Distributed CFAR detector based on local test statistic 80 (2) (2000) 373–379
Jian, L. *see* Z.-S. Liu 62 (3) (1997) 311–321
Jiang, Q., S. Song Goy and Z. Lin, Local discriminant time-frequency atoms for signal classification 72 (1) (1999) 47–52
Jiang, X., *see* K. Yu 77 (2) (1999) 195–208
Jinsoo, B. and S. Iickho, On rank-based non-parametric detection of composite signals in purely additive noise 62 (2) (1997) 257–264
Jinsoo, B. and S. Iickho, Rank-based detection of weak random signals in a multiplicative noise model 63 (2) (1997) 121–131
Jinwei, F. and W.-S. Gan, A broadband self-tuning active noise equaliser 62 (2) (1997) 251–256
Johnston, L. and V. Krishnamurthy, Hidden Markov model algorithms for narrowband interference suppression in CDMA spread spectrum systems 79 (3) (1999) 315–324
Jong Cho, Y., *see* J.S. Lim 80 (3) (2000) 425–439
JooHun, L. *see* Y. Taewon 63 (2) (1997) 151–156
Jorge, P.M., *see* J.S. Marques 80 (8) (2000) 1577–1589
José-Revuelta, L.M., *see* J. Cid-Sueiro 80 (4) (2000) 741–744

Joshi, S. and J.M. Morris, On a novel critically-sampled discrete-time real Gabor transform 61 (1) (1997) 9–22
Joshi, S.M. and J.M. Morris, Some results on product-function frames 80 (4) (2000) 737–740
Joubert, J., *see* J. Abele 80 (1) (2000) 141–149
Jun, B.-E. and D.-J. Park, Performance analysis of sign-sign algorithm for transversal adaptive filters 62 (3) (1997) 323–333
Jung, H.-Y. and R. Prost, Multi-channel overlapping rounding transform for HINT and subband lossless image compression 80 (12) (2000) 2609–2615
Jung, H.-Y., R. Prost and T.-Y. Choi, A unified mathematical form of the Walsh-Hadamard transform for lossless image data compression 63 (1) (1997) 35–43
Juntunen, M., *see* J.P. Kaipio 80 (3) (2000) 515–523
Jutten, C. *see* H.-L. Nguyen 62 (2) (1997) 163–171

Kaelin, A., A. Lindgren, S. Wyrsch, A digital frequency-domain implementation of a very high gain hearing aid with compensation for recruitment of loudness and acoustic echo cancellation 64 (1) (1998) 71–85
Kaelin, A.N., *see* T.P. von Hoff 80 (9) (2000) 1807–1822
Kafri, W.S., *see* W.A. Hashlamoun 71 (3) (1998) 279–289
Kaipio, J.P., P.A. Karjalainen and M. Juntunen, Perturbation expansions in polynomial root tracking 80 (3) (2000) 515–523
Kale, I., *see* R. Beck 80 (1) (2000) 161–183
Kalouptsidis, N., *see* E. Kofidis 68 (1) (1998) 1–21
Kamel, M., *see* A. Campilho 71 (2) (1998) 107–108
Kammeyer, K. *see* B. Jelonnek 61 (3) (1997) 237–264
Kammeyer, K.-D., *see* D. Boss 66 (1) (1998) 1–26
Kan, K.-S. *see* K.-C. Fan 61 (2) (1997) (171–180
Kan, K.-S. and K.-C. Fan, Video transcoding architecture with minimum buffer requirement for compressed MPEG-2 bitstream 67 (2) (1998) 223–235
Kao, Y.-A. and S.-G. Chen, Design of finite-word-length FIR filters with least-squares error 80 (8) (2000) 1591–1596
Karam, L.J. and J.H. McClellan, Chebyshev digital FIR filter design 76 (1) (1999) 17–36
Karjalainen, P.A., *see* J.P. Kaipio 80 (3) (2000) 515–523
Karlsson, E., T. Söderström and P. Stoica, The Cramér–Rao lower bound for noisy input–output systems 80 (11) (2000) 2421–2447
Karp, T., *see* J. Kliewer 80 (8) (2000) 1515–1533
Kasaei, S., M. Deriche and B. Boashash, An efficient quantization technique for wavelet coefficients of fingerprint images 62 (3) (1997) 361–366
Katkovnik, V. and L. Stanković, Periodogram with varying and data-driven window length 67 (3) (1998) (345–358
Katkovnik, V., *see* A.B. Gershman 80 (12) (2000) 2507–2515
Katkovnik, V., A new concept of adaptive beamforming for moving sources and impulse noise environment 80 (9) (2000) 1863–1882
Katkovnik, V., Minimax lower bounds for nonparametric estimation of the instantaneous frequency- and time-varying amplitude of a harmonic signal 80 (4) (2000) 577–595
Katkovnik, V., Robust *M*-estimates of the frequency and amplitude of a complex-valued harmonic 77 (1) (1999) 71–84
Kaufman, O., *see* S. Primak 72 (2) (1999) 61–68

Kaup, A., Image restoration for frame- and object-based video coding using an adaptive constrained least-squares approach 80 (11) (2000) 2337–2345
Kayhan, A.S., Comments on Identification of non-minimum phase systems using evolutionary spectral theory" by A.I. Al-Shoshan and L.F. Chaparro + Authors' reply 64 (2) (1998) 223–224
Kayhan, A.S., Representation and analysis of complex chirp signals 66 (1) (1998) 111–116
Kayhan, A.S., Evolutionary maximum entropy spectral analysis of chirps in noise 78 (2) (1999) 151–157
Kazakov, V.A., Statistical analysis of linear dynamic systems driven by the binary Markovian noise on the basis of the kinetic equations for non-Markovian stochastic processes 76 (2) (1999) (167–180
Kazakov, V.A., One-dimensional kinetic equations for non-Markovian processes and statistical analysis problems of systems driven by the asymmetrical binary Markovian process 79 (1) (1999) (87–95
Kazantsev, I.G. and V.V. Pickalov, On the accuracy of line-, strip- and fan-based algebraic reconstruction from few projections 78 (1) (1999) (117–126
Keerthi, A.V., *see* R. Chandrasekaran 80 (10) (2000)(2033–2047
Keller, J.M., *see* P.D. Gader 80 (6) (2000)(1069–1084
Kellermann, W., *see* A. Stenger 80 (9) (2000) 1747–1760
Kennedy, M. and G. Kolumbán, Digital communications using chaos 80 (7) (2000) 1307–1320
Kervrann, C., Learning probabilistic deformation models from image sequences 71 (2) (1998) 155–171
Keskes, N., *see* S. Guillon 67 (3) (1998) 237–254
Khalil, M. and J. Duchêne, Detection and classification of multiple events in piecewise stationary signals: Comparison between autoregressive and multiscale approaches 75 (3) (1999) (239–251
Khan, H.A. and L.F. Chaparro, Formulation and implementation of the non-stationary evolutionary Wiener filtering 76 (3) (1999) 253–267
Khodja, M., *see* M. Hamadouche 80 (1) (2000) 117–123
Ki, Y.L. *see* Y. Taewon 63 (2) (1997) 151–156
Kim, D.I. and P.De Wilde, Performance analysis of the DCT-LMS adaptive filtering algorithm 80 (8) (2000) 1629–1654
Kim, D.I. and P.De Wilde, Performance analysis of the self-orthogonalising adaptive lattice filter 80 (11) (2000) 2379–2406
Kim, E.T., S.-J. Choi and H.-M. Kim, Weighted boundary matching algorithm for error concealment in the MPEG-2 video bit stream 73 (3) (1999) 291–295
Kim, H., I. Song, S. Kim and J. Lee, PN code acquisition using nonparametric detectors in DS/CDMA systems 80 (4) (2000) 731–736
Kim, H., I. Song, Y. Kim, S. Park and S. Yoon, An analysis of the median-shift sign detector under various noise distributions 69 (3) (1998) (281–297
Kim, H.-M., *see* E.T. Kim 73 (3) (1999) 291–295
Kim, H.-M., *see* J. Lee 79 (3) (1999) 325–328
Kim, H.-M., *see* J.-K. Han 68 (1) (1998) 113–118
Kim, H.-M., *see* S. Kim 70 (1) (1998) 43–51
Kim, H.-M., *see* S. Park 67 (2) (1998) 173–187
Kim, J.-k., *see* K.-y. Yoo 68 (2) (1998) 219–224
Kim, K., *see* S. Park 67 (2) (1998) 173–187
Kim, K., S. Park, I. Song and J. Bae, Performance of DS/SSMA systems using TCM under impulsive noise environment 64 (2) (1998) 225–230

Kim, K.S., S.Y. Kim, I. Song and S.R. Park, Locally optimumdetector for correlated random signals in a weakly dependent noise model 74 (3) (1999) 317–322
Kim, S., *see* E.R. Dougherty 80 (10) (2000) 2219–2235
Kim, S., *see* H. Kim 80 (4) (2000) 731–736
Kim, S., H.-M. Kim, I. Song and M. Lee, An optimum control strategy of channel input traffic in FH/SSMA systems with central controllers 70 (1) (1998) 43–51
Kim, S.Y., *see* K.S. Kim 74 (3) (1999) 317–322
Kim, Y., *see* H. Kim 69 (3) (1998) 281–297
Kliewer, J., T. Karp and A. Mertins, Processing arbitrary-length signals with linear-phase cosine-modulated filter banks 80 (8) (2000) 1515–1533
Kliger, M., *see* S. Primak 72 (2) (1999) 61–68
Ko, C.C., *see* Y. Xie 80 (1) (2000) 185–195
Ko, C.C., W.H. Pan and Y. Sheng, Zero tracking algorithm for two-dimensional arrays with look direction constraint 69 (3) (1998) 249–265
Kofidis, E., S. Theodoridis and N. Kalouptsidis, Mirror-image symmetric perfect-reconstruction FIR filter banks: Parametrization and design 68 (1) (1998) 1–21
Koh, S., *see* I. Soon 75 (2) (1999) 151–159
Koh, S.N., *see* C.Q. Chen 76 (3) (1999) 311–322
Kokkinos, E.A. and A.M. Maras, Narrowband incoherent threshold detection in non-additive Markov noise 72 (1) (1999) 39–45
Kollias, S.D., *see* A.D. Doulamis 80 (6) (2000) 1049–1067
Kolumbán, G., *see* M. Kennedy 80 (7) (2000) 1307–1320
Kontorovich, V., *see* G. Kotler 75 (1) (1999) 79–88
Kopparapu, S.K., U.B. Desai and P. Corke, Behaviour of image degradation model in multiresolution 80 (11) (2000) 2407–2420
Kotler, G., V. Kontorovich, V. Lyandres and S. Primak, On the Markov model of shot noise 75 (1) (1999) 79–88
Krebber, W., H.-W. Gierlich and K. Genuit, Auditory virtual environments: basics and applications for interactive simulations 80 (11) (2000) 2307–2322
Krishnamurthy, V., *see* K. Doğançay 74 (3) (1999) 223–237
Krishnamurthy, V., *see* K. Doğançay 77 (3) (1999) 275–288
Krishnamurthy, V., *see* L. Johnston 79 (3) (1999) 315–324
Kristensson, M., M. Jansson and B. Ottersten, Modified IQML and weighted subspace fitting without eigendecomposition 79 (1) (1999) 29–44
Krolik, J., *see* E. Gelenbe 64 (3) (1998) 233–247
Kumar, K.A. *see* R. Rajagopal 63 (1) (1997) 17–33
Kumar, R.V.R. and C.B.R. Rao, Mean convergence behavioural analysis of IIR adaptive filters 63 (3) (1997) 229–240
Kumar, V.J., *see* J.S. Paul 72 (1) (1999) 15–22
Kumar, V.J., *see* J.S. Paul 75 (1) (1999) 29–39
Kundu, D. and A. Mitra, Detecting the number of signals for an undamped exponential model using cross-validation approach 80 (3) (2000) 525–534
Kundu, D. and A. Mitra, On asymptotic behaviour of least squares estimators and the confidence intervals of the superimposed exponential signals 72 (2) (1999) 129–139
Kunt, M., *see* C.J. Lambrecht 67 (3) (1998) 255–269
Kunz, D., *see* T. Aach 80 (11) (2000) 2347–2364
Kuruoğlu, E.E., P.J. Rayner and W.J. Fitzgerald, Least L_p-norm impulsive noise cancellation with polynomial filters 69 (1) (1998) 1–14

Kutay, M.A., H. Özaktas, H.M. Ozaktas and O. Arıkan, The fractional Fourier domain decomposition 77 (1) (1999) 105–109
Kuzminskiy, A.M. and D. Hatzinakos, Semi-blind spatio-temporal processing with temporal scanning for short burst SDMA systems 80 (10) (2000) 2063–2073
Kuzminskiy, A.M., Finite amount of data effects in spatio-temporal filtering for equalization and interference rejection in short burst wireless communications 80 (10) (2000) 1987–1997

Laakso, T.I., A. Tarczynski, N. Paul Murphy and V. Välimäki, Polynomial filtering approach to reconstruction and noise reduction of nonuniformly sampled signals 80 (4) (2000) 567–575
Labeau, F., *see* B. Macq 80 (7) (2000) 1167–1184
Lacaze, B., Modeling the HF channel with Gaussian random delays 64 (2) (1998) 215–220
Lacaze, B., Periodic bi-sampling of stationary processes 68 (3) (1998) 283–293
Ladret, P., B. Latombe and F. Granada, Active contour algorithm: An attractive tool for snow avalanche analysis 79 (2) (1999) 197–204
Laguna, P., *see* S. Olmos 79 (1) (1999) 97–115
Lagunas, M.A., *see* A. Pagès-Zamora 76 (1) 1999) (1–16
Lagunas, M.A., *see* M. Nájar 80 (12) (2000) 2623–2632
Lamblin, C., *see* A. Gilloire 80 (7) (2000) 1149–1166
Lambotharan, S. and J. Chambers, On the surface characteristics of a mixed constant modulus and cross-correlation criterion for the blind equalization of a MIMO channel 74 (2) (1999) 209–216
Lambrecht, C.J. and M. Kunt, Characterization of human visual sensitivity for video imaging applications 67 (3) (1998) 255–269
Landström, D., *see* J.-J. van de Beek 80 (7) (2000) 1321–1334
Lapsa, P.M., Determination of Gegenbauer-type random process models 63 (1) (1997) 73–90
Laterza, F., *see* G. Olmo 80 (4) (2000) 671–684
Latombe, B., *see* P. Ladret 79 (2) (1999) 197–204
Lauwereins, R. *see* L. De Coster 64 (1) (1998) 61–70
Lavielle, M., *see* O. Cappé 73 (1–2) (1999) 3–25
Lavielle, M. and D. Marquez, Gibbs sampling for parameters estimation and change-points detection in inverse problems. Application to electromagnetic imaging 78 (3) (1999) 349–362
Lavoie, P., *see* E. Granger 64 (3) (1998) (249–269
Le Roux, J. and J.L. Peyre, MA HOS modelization from samples of band-limited third-order stationary signals 63 (2) (1997) 163–168
Le Roux, J., *see* C. Huet 77 (2) (1999) 209–228
Lee, B.-Y., T.S. Liu and L.W. Chang, A new optimal digital halftoning technique based on the discrete cosine transform 80 (12) (2000) 2617–2621
Lee, C.-C. and J.-H. Lee, An efficient method for blind digital signal separation of array data 77 (2) (1999) 229–234
Lee, H. and S. Jae Moon, On an improved summation generator with 2-bit memory 80 (1) (2000) 211–217
Lee, J., *see* H. Kim 80 (4) (2000) 731–736
Lee, J.-D., *see* J.-K. Guo 77 (2) (1999) 171–193
Lee, J.-H. and T.-F. Hsu, Adaptive beamforming with multiple-beam constraints in the presence of coherent jammers 80 (11) (2000) 2475–2480

Lee, J.-H., *see* C.-C. Lee	77	(2) (1999)	229–234
Lee, J.-H., S.-J. Yang and D.-C. Tang, Minimax design of 2-D linear-phase FIR filters with continuous and powers-of-two coefficients	80	(8) (2000)	1435–1444
Lee, J.-S., *see* W.-H. Lin	65	(1) (1998)	103–113
Lee, J. and H.-M. Kim, MMSE multiuser detector with an adaptive blind antenna array for DS/CDMA systems	79	(3) (1999)	325–328
Lee, K., S. McLaughlin and K. Shirai, Speech enhancement based on neural predictive hidden Markov model	65	(3) (1998)	373–381
Lee, K.Y. and J. Rheem, Smoothing approach using forward–backward Kalman filter with Markov switching parameters for speech enhancement	80	(12) (2000)	2579–2588
Lee, M., *see* S. Kim	70	(1) (1998)	43–51
Lee, S.-W., J.-S. Lim, S. Baek and K.-M. Sung, Time-varying signal frequency estimation by VFF Kalman filtering	77	(3) (1999)	343–347
Lee, T.-S. and T.-T. Lin, Reception of coherent signals with steering vector restoral beamformer	72	(3) (1999)	141–145
Lee, W.-L. and K.-C. Fan, A graphic-based approach to the computation of the number of stack filters	70	(1) (1998)	53–60
Lee, W.-L. and K.-C. Fan, Document image preprocessing based on optimal Boolean filters	80	(1) (2000)	45–55
Lee, W.T., *see* P.W.M. Tsang	65	(3) (1998)	391–401
Lee, Y.-Y., *see* P.-C. Lo	79	(3) (1999)	251–259
Lee, Y.-Y., *see* P.-C. Lo	71	(3) (1998)	291–299
Leglaye, F., *see* H. Zaragoza	64	(3) (1998)	371–382
Leibrich, J. and H. Puder, A TF distribution for disturbed and undisturbed speech signals and its application to noise reduction	80	(9) (2000)	1761–1776
Lemmin, U. *see* C. Shen	61	(1) (1997)	39–44
Lendl, M., R. Unbehauen and F.-L. Luo, A homotopy method for training neural networks	64	(3) (1998)	359–370
Lengelle, R., *see* C. Richard	77	(1) (1999)	37–48
Leou, M.-L., *see* J.-L. Yu	80	(2) (2000)	231–241
Leus, G. and M. Moonen, Viterbi and RLS decoding for deterministic blind symbol estimation in DS-CDMA wireless communication	80	(5) (2000)	745–771
Levitt, J.A., *see* R. Ben Mrad	65	(1) (1998)	21–38
Levitt, J.A., *see* R.Be Mrad	65	(1) (1998)	1–19
Leyra, L., *see* C. Mosquera	76	(3) (1999)	269–283
Li, G. and Z. Ding, Semi-blind channel identification for individual data bursts in GSM wireless systems	80	(10) (2000)	2017–2031
Li, H., P. Stoica and J. Li, Computationally efficient parameter estimation for harmonic sinusoidal signals	80	(9) (2000)	1937–1944
Li, J., *see* H. Li	80	(9) (2000)	1937–1944
Li, J., *see* P. Stoica	66	(1) (1998)	45–59
Li, L., *see* Y. Zheng	80	(8) (2000)	1535–1549
Li, L., L. Xie, W.-Y. Yan and Y. Soh, Frequency weighted optimal order reduction of digital filters	75	(1) (1999)	65–77
Li, W., J.C.H. Poon and W.C. Siu, Recovery of single source signal from noisy and reverberant environments using second-order statistics	75	(3) (1999)	265–275
Li, Y., *see* J. Razavilar	65	(3) (1998)	363–372
Liatsis, P., *see* A.G. Rigas	80	(9) (2000)	1883–1894

Liévin, M., *see* F. Luthon	76	(1) (1999)	61–80
Lii, K.-S. and T.-H. Tsou, Bispectral analysis of continuous-time processes under random sampling schemes	65	(2) (1998)	221–237
Lim, J.-S., *see* S.-W. Lee	77	(3) (1999)	343–347
Lim, J.S. and Y. Jong Cho, Circulant-preconditioned block adaptive filtering algorithms based on the nested iteration technique	80	(3) (2000)	425–439
Lim, J.S., Block adaptive filtering algorithm based on the preconditioned conjugate gradient method	71	(1) (1998)	79–84
Lim, Y.-C., *see* S.-H. Low	67	(1) (1998)	35–48
Lin, J.-C., *see* W.-J. Lin	78	(2) (1999)	201–214
Lin, R.-S. and Yung-Cheh Hsueh, Multichannel filtering by gradient information	80	(2) (2000)	279–293
Lin, S.-N. and S.-J. Chern, A new adaptive constrained LMS time delay estimation algorithm	71	(1) (1998)	29–44
Lin, T.-T., *see* T.-S. Lee	72	(3) (1999)	141–145
Lin, W.-H., J.-S. Lee, C.-H. Chen and Y.-N. Sun, A new multiscale-based shape recognition method	65	(1) (1998)	103–113
Lin, W.-J. and J.-C. Lin, Color quantization by preserving color distribution features	78	(2) (1999)	201–214
Lin, X. and R.S. Blum, Robust STAP algorithms using prior knowledge for airborne radar applications	79	(3) (1999)	273–287
Lin, Y.-K. *see* K.-L. Chung	62	(2) (1997)	207–213
Lin, Y.-K. *see* K.-L. Chung	63	(1) (1997)	101–106
Lin, Z., *see* Q. Jiang	72	(1) (1999)	47–52
Lindgren, A. *see* A. Kaelin	64	(1) (1998)	71–85
Lindgren, A.G., *see* T.P. von Hoff	80	(9) (2000)	1807–1822
Lindgren, U., *see* H. Broman	73	(1–2) (1999)	169–183
Liu, C.-H., *see* Y. Yang	70	(1) (1998)	61–71
Liu, D., K. Zhao, H. Zou and J. Su, Fractal analysis with applications to seismological pattern recognition of underground nuclear explosions	80	(9) (2000)	1849–1861
Liu, D. and L. Tong, An analysis of constant modulus algorithm for array signal processing	73	(1–2) (1999)	81–104
Liu, J.-C., *see* H.-C. Chiang	68	(3) (1998)	225–231
Liu, K.J.R., *see* J. Razavilar	65	(3) (1998)	363–372
Liu, Q.-G., B. Champagne and D.K. Ho, Simple design of oversampled uniform DFT filter banks with applications to subband acoustic echo cancellation	80	(5) (2000)	831–847
Liu, T. and T. Chen, Optimal design of multi-channel transmultiplexers	80	(10) (2000)	2141–2149
Liu, T.-H. and J.M. Mendel, Cumulant-based subspace tracking	76	(3) (1999)	237–252
Liu, T.S., *see* B.-Y. Lee	80	(12) (2000)	2617–2621
Liu, Z.-S., L. Jian and P. Stoica, RELAX-based estimation of damped sinusoidal signal parameters	62	(3) (1997)	311–321
Lo Presti, L., *see* E. Magli	73	(3) (1999)	277–289
Lo, P.-C. and Y.-Y. Lee, Real-time implementation of the moving FFT algorithm	79	(3) (1999)	251–259
Lo, P.-C. and Y.-Y. Lee, Real-time implementation of the split-radix FFT – An algorithm to efficiently construct local butterfly modules	71	(3) (1998)	291–299
Loke, Y. *see* T. Hoya	64	(1) (1998)	87–91

Lombardini, F., *see* F. Gini	75	(2) (1999)	161–171
Lombardini, F., *see* A. Farina	80	(5) (2000)	803–808
Lombardo, P. and G. Fedele, MRC diversity for binary signals in correlated Nakagami fading	67	(1) (1998)	49–57
Longo, M., *see* F. Flagiello	72	(3) (1999)	183–192
Losada, M.An, G. Tohumoglu, D. Fraile and A. Artés, Multi-iteration wavelet zero-tree coding for image compression	80	(7) (2000)	1281–1288
Loubaton, P., *see* A. Gorokhov	73	(1–2) (1999)	105–124
Loughlin, P., *see* L. Cohen	79	(3) (1999)	301–307
Lovell, B., *see* P. Bomford	71	(2) (1998)	203–213
Low, S.-H. and Y.-C. Lim, A new approach to design sharp diamond-shaped filters	67	(1) (1998)	35–48
Lu, H.-C. and S.-T. Tzeng, Design of arbitrary FIR log filters by genetic algorithm approach	80	(3) (2000)	497–505
Lu, H.-C., *see* S.-T. Tzeng	79	(2) (1999)	175–186
Lu, H.-C., *see* S.-T. Tzeng	80	(1) (2000)	197–204
Lu, H.C. and S.-T. Tzeng, Design of two-dimensional FIR digital filters for sampling structure conversion by genetic algorithm approach	80	(8) (2000)	1445–1458
Lu, Y., *see* L. Luo	69	(2) (1998)	191–198
Lucke, L.E., *see* C. Chakrabarti	80	(8) (2000)	1419–1433
Luk, B.L., *see* S. Chen	79	(1) (1999)	117–128
Lukic, G.S., Theoretical bases of the Barber filters	78	(2) (1999)	139–149
Luo, F.-L., *see* M. Lendl	64	(3) (1998)	359–370
Luo, L., Y. Lu, C. Zou and Z. He, Image sequence macroblock classification using neural networks	69	(2) (1998)	191–198
Luthon, F., A. Caplier and M. Liévin, Spatiotemporal MRF approach to video segmentation: Application to motion detection and lip segmentation	76	(1) (1999)	61–80
Lyandres, V. and S. Primak, The FIR-median suppression of impulsive interference	80	(5) (2000)	883–887
Lyandres, V., see S. Primak	72	(2) (1999)	61–68
Lyandres, V., *see* G. Kotler	75	(1) (1999)	79–88
Macchi, O. and E. Moreau, Adaptive unsupervised separation of discrete sources	73	(1–2) (1999)	49–66
Macq, B., *see* J.F. Delaigle	66	(3) (1998)	319–335
Macq, B., F. Labeau, C. Desset and L. Vandendorpe, Image processing for multimedia terminals and related architectures	80	(7) (2000)	1167–1184
Mader, A., H. Puder and G. Schmidt, Step-size control for acoustic echo cancellation filters – an overview	80	(9) (2000)	1697–1719
Maeda, H., *see* K. Sakitani	80	(5) (2000)	819–829
Magli, E., *see* G. Olmo	80	(1) (2000)	57–73
Magli, E., G. Olmo and L.Lo Presti, Joint statistical signal detection and estimation. Part II: a high-performance closed-loop technique	80	(5) (2000)	773–786
Magli, E., G. Olmo and L. Lo Presti, Pattern recognition by means of the Radon transform and the continuous wavelet transform	73	(3) (1999)	277–289
Mäkeläinen, K., *see* T. Demeechai	80	(10) (2000)	2237–2240
Mäkeläinen, K., *see* T. Demeechai	80	(10) (2000)	2241–2247
Makur, A., *see* G.B. Rath	73	(3) (1999)	297–301

Makur, A., *see* G.B. Rath	70	(1) (1998)	75–79
Malah, D., *see* I. Cohen	73	(3) (1999)	203–223
Malah, D., *see* I. Cohen	75	(3) (1999)	201–223
Malcolm, W.P. and L.B. White, Spatial filtering of general linear Gauss–Markov processes	69	(1) (1998)	49–57
Malliopoulos, C., S. Bakamidis and G. Carayannis, Order determination and optimum harmonic reconstruction of quasi-periodic signals in noise	79	(2) (1999)	161–173
Mandic, D.P. and J.A. Chambers, A normalised real time recurrent learning algorithm	80	(9) (2000)	1909–1916
Mani, R. and S.H. Nawab, Knowledge-based processing of multicomponent signals in a musical application	74	(1) (1999)	47–69
Maragos, P., *see* B. Santhanam	69	(1) (1998)	81–91
Marano, S., *see* F. Flagiello	72	(3) (1999)	183–192
Maras, A.M., *see* E.A. Kokkinos	72	(1) (1999)	39–45
Mari, J., Modifications of rational transfer matrices to achieve positive realness	80	(4) (2000)	615–635
Marir, F. and A.G.J. Holt, Application of Euclid's algorithm to the computation of the inverse in modulo arithmetics	64	(2) (1998)	193–196
Marques, J.S. and P.M. Jorge, Visual inspection of a combustion process in a thermoelectric plant	80	(8) (2000)	1577–1589
Marques, J.S., A link between image-based and feature-based active contours	67	(3) (1998)	271–278
Márquez, O.W., *see* J.L. Alba	76	(1) (1999)	43–60
Marquez, D., *see* M. Lavielle	78	(3) (1999)	349–362
Martens, J.-B. and L. Meesters, Image dissimilarity	70	(3) (1998)	155–176
Martens, J.-B., *see* N. Belaïd	70	(3) (1998)	231–245
Martín-Clemente, R. *see* J.I. Acha	62	(2) (1997)	243–246
Martin, N., *see* M. Durnerin	80	(12) (2000)	2597–2608
Martin, R. *see* S. Gustafsson	64	(1) (1998)	21–32
Martin, R.J., Autoregression and irregular sampling: Filtering	69	(3) (1998)	229–248
Martin, R.J., Autoregression and irregular sampling: Spectral estimation	77	(2) (1999)	139–157
Martin, R.J., Autoregression and cepstrum-domain filtering	76	(1) (1999)	93–97
Martinelli, G., *see* F.Fr Mascioli	80	(6) (2000)	1001–1016
Martinelli, G., *see* F.M. Frattale Mascioli	64	(3) (1998)	347–358
Mascioli, F.Fr, A. Rizzi, M. Panella and G. Martinelli, Scale-based approach to hierarchical fuzzy clustering	80	(6) (2000)	1001–1016
Mashade, M.B., Analysis of adaptive radar systems processing M-sweeps in target multiplicity and clutter boundary environments	67	(3) (1998)	307–329
Mashade, M.B., Detection analysis of linearly combined order statistic CFAR algorithms in nonhomogeneous background environments	68	(1) (1998)	59–71
Masnadi-Shirazi, M.A. and M. Ghasemi, Adaptive Laguerre network realization	80	(10) (2000)	2169–2186
Masry, E., Covariance and spectral properties of the wavelet transform and discrete wavelet coefficients of second-order random fields	64	(2) (1998)	131–143
Matoušek, V., *see* M. Morháč	68	(2) (1998)	141–153
Mattera, D. and L. Paura, Higher-order cyclostationarity-based methods for identifying volterra systems by input–output noisy measurements	67	(1) (1998)	77–98
Mattera, D., Identification of polyperiodic Volterra systems by means of input–output noisy measurements	75	(1) (1999)	41–50
Mavuduru, R., *see* I. Pavlidis	71	(2) (1998)	187–201

May, T. and H. Rohling, Turbo detection of convolutionally coded and differentially modulated signals 80 (2) (2000) 349–355
McCarley, C., VLSI 'HyperNeuron' for recognition of analog patterns 65 (1) (1998) 143–146
McClellan, J.H., *see* L.J. Karam 76 (1) (1999) 17–36
McLaughlin, S., *see* K. Lee 65 (3) (1998) 373–381
McLernon, D.C., On the evaluation of the 2-D complex integral in 2-D downsampling 79 (2) (1999) 187–196
Mech, R. and M. Wollborn, A noise robust method for 2D shape estimation of moving objects in video sequences considering a moving camera 66 (2) (1998) 203–217
Mecklenbräuker, W.F., On the localization of impulse responses of BIBO-stable LSI-systems 70 (1) (1998) 73–74
Mecklenbräuker, W.F., Remarks on and correction to the impulse invariant method for the design of IIR digital filters 80 (8) (2000) 1687–1690
Meesters, L., *see* J.-B. Martens 70 (3) (1998) 155–176
Memon, N., A 2-D vector excitation coding technique 67 (2) (1998) 163–172
Mendel, J.M., *see* T.-H. Liu 76 (3) (1999) 237–252
Mendel, J.M., Uncertainty, fuzzy logic, and signal processing 80 (6) (2000) 913–933
Menhaj, A. *see* J. Assaad 61 (1) (1997) 83–88
Menhaj-Rivenq, A., *see* J.M. Rouvaen 79 (1) (1999) 67–72
Mertins, A., *see* J. Kliewer 80 (8) (2000) 1515–1533
Mestre, X., *see* M. Nájar 80 (12) (2000) 2623–2632
Meyer, F. *see* J. Crespo 62 (1) (1997) 37–60
Miglioli, R., *see* A. Farina 69 (3) (1998) 209–217
Míguez, J. and L. Castedo, A constant modulus blind adaptive receiver for multiuser interference suppression 71 (1) (1998) 15–27
Miller, E.L., *see* R.M. Dufour 78 (3) (1999) 289–307
Mitra, A., *see* D. Kundu 72 (2) (1999) 129–139
Mitra, A., *see* D. Kundu 80 (3) (2000) 525–534
Miyanaga, Y., *see* K. Funaki 74 (3) (1999) 279–295
Mobasseri, B.G., Digital modulation classification using constellation shape 80 (2) (2000) 251–277
Moddemeijer, R., A statistic to estimate the variance of the histogram-based mutual information estimator based on dependent pairs of observations 75 (1) (1999) 51–63
Moeneclaey, M., *see* H. Steendam 80 (7) (2000) 1217–1230
Moisan, É., *see* S. Zozor 68 (2) (1998) 155–173
Mokbel, C., *see* A. Gilloire 80 (7) (2000) 1149–1166
Moltedo, L., M. Nappi, D. Vitulano and S. Vitulano, Color image coding combining linear prediction and iterated function systems 63 (2) (1997) 157–162
Montagnat, J. and H. Delingette, Globally constrained deformable models for 3D object reconstruction 71 (2) (1998) 173–186
Montanari, M., *see* F. Gini 80 (6) (2000) 1115–1126
Moonen, M., *see* G. Leus 80 (5) (2000) 745–771
Moonen, M., *see* P. Vandaele 80 (2) (2000) 357–367
Moonen, M., *see* P. Vandaele 80 (3) (2000) 481–495
Moreau, E., *see* O. Macchi 73 (1–2) (1999) 49–66
Morettin, P.A., *see* D.R. Brillinger 80 (8) (2000) 1607–1627
Morháč, M. and V. Matoušek, Fast adaptive Fourier-based transform and its use in multidimensional data compression 68 (2) (1998) 141–153
Mori, K., *see* M. Obata 80 (3) (2000) 507–514

Morier, F., *see* J. Benois-Pineau 66 (2) (1998) 181–201
Morris, J.M. *see* S. Joshi 61 (1) (1997) 9–22
Morris, J.M., *see* S.M. Joshi 80 (4) (2000) 737–740
Morris, J.M. and R. Peravali, Minimum-bandwidth discrete-time wavelets 76 (2) (1999) 181–193
Mosquera, C. and F. Pérez-González, Convergence analysis of the multiple-channel filtered-U recursive LMS algorithm for active noise control 80 (5) (2000) 849–856
Mosquera, C., L. Leyra and F. Pérez-González, The robust SPR problem: Design algorithms and new applications 76 (3) (1999) 269–283
Mou-yan, Z. and R. Unbehauen, Circulant and aperiodic models of deconvolution A comparison 64 (2) (1998) 185–192
Moulines, E., *see* O. Cappé 73 (1–2) (1999) 3–25
Mrad, R.Be, S.D. Fassois and J.A. Levitt, A polynomial-algebraic method for non-stationary TARMA signal analysis – Part I: The method 65 (1) (1998) 1–19
Mülayim, A.Y., *see* E. Öztop 75 (1) (1999) 1–10
Mueller, R.J., H.D. Cheng and A.R. Barakat, Incoherent radar spectrum processing using neural network 69 (2) (1998) 117–129
Muguruma, T., *see* X. Zhang 80 (8) (2000) 1551–1559
Mukherjee, A., *see* P. Pal 74 (2) (1999) 153–168
Mukhopadhyay, S. and B. Chanda, A multiscale morphological approach to local contrast enhancement 80 (4) (2000) 685–696
Mulgrew, B., *see* J.S. Thompson 68 (1) (1998) 23–41
Mulgrew, B., *see* S. Patra 80 (6) (2000) 985–1000
Mumolo, E., *see* A. Carini 80 (3) (2000) 549–552
Muñoz, O. and J.A. Fernández-Rubio, Cancellation of external and multiple access interference in CDMA systems using antenna arrays 61 (2) (1997) 113–129
Murata, N. and S.-i. Amari, Statistical analysis of learning dynamics 74 (1) (1999) 3–28
Murphy, N.P., *see* A.G. Dempster 76 (1) (1999) 81–91
Murphy, N.P., *see* A.G. Dempster 80 (12) (2000) 2641–2645
Murtagh, F., *see* J.-L. Starck 76 (2) (1999) 147–165

Nadal, J.-P., *see* N. Parga 80 (10) (2000) 2187–2194
Nagai, T., *see* M. Ikehara 80 (2) (2000) 333–342
Nagel, P., Homomorphic design of non-causal filters 80 (10) (2000) 2207–2217
Naidu, P.S. and H. Uday Shankar, Broadband source localization in shallow water 72 (2) (1999) 107–116
Nájar, M., X. Mestre and M.A. Lagunas, Two-stage code reference beamformer for the reception of frequency hopping modulated signals 80 (12) (2000) 2623–2632
Najim, M., *see* S. Guillon 67 (3) (1998) 237–254
Nakajima, M., *see* H. Aboul-Ella 70 (2) (1998) 129–137
Nakamori, S., Chandrasekhar-type filter using covariance information for white Gaussian plus colored observation noise 80 (9) (2000) 1959–1970
Nakamori, S., Design of predictor using covariance information in continuous-time stochastic systems with nonlinear observation mechanism 68 (2) (1998) 183–193
Nakaoka, H., *see* H. Sakai 78 (3) (1999) 309–319
Namba, M. and Y. Ishida, Wavelet transform domain blind deconvolution 68 (1) (1998) 119–124
NaNacara, W. and E.E. Yaz, Recursive estimator for linear and nonlinear systems with uncertain observations 62 (2) (1997) 215–228
Nandi, A., *see* S. Anfinsen 80 (10) (2000) 2151–2167

Nandi, A.K., *see* M. Ghogho 78 (1) (1999) 43–60
Nandi, A.K., *see* S.R. Dooley 72 (1) (1999) 53–57
Nandi, A.K., *see* S.R. Dooley 80 (2) (2000) 343–347
Nandy, S.K., *see* S. Ramanathan 79 (2) (1999) 213–222
Nappi, M. *see* L. Moltedo 63 (2) (1997) 157–162
Narasimhan, S.V., Improved instantaneous power spectrum (IPS) performance: A group delay approach 80 (1) (2000) 75–88
Natale, F.G., *see* M. Accame 80 (6) (2000) 1127–1131
Natale, F.G.B., *see* L. Atzori 80 (8) (2000) 1691–1694
Nawab, S.H., *see* R. Mani 74 (1) (1999) 47–69
Naylor, P.A. *see* T. Hoya 64 (1) (1998) 87–91
Nehorai, A., *see* C.-M.S. See 78 (2) (1999) 127–138
Nelson, B.N., *see* P.D. Gader 80 (6) (2000) 1069–1084
Neri, A., S. Colonnese, G. Russo and P. Talone, Automatic moving object and background separation 66 (2) (1998) 219–232
Ng, K.T., *see* Y. Fang 76 (1) (1999) 37–42
Nguyen Thi, H.-L., S. Van Gerven, C. Jutten and D. Van Compernolle, Stability study for source separation in convolutive mixtures of two sources 62 (2) (1997) 163–171
Nguyen, T.Q., *see* K. Chan 80 (12) (2000) 2589–2596
Nguyen, T.Q., *see* M. Ikehara 80 (2) (2000) 333–342
Niemistö, R., I. Tăbuş and J. Astola, A fast algorithm for adaptive polynomial filtering 70 (2) (1998) 147–151
Nikias, C.L., *see* M. Rupi 80 (3) (2000) 381–396
Nikolaidis, N. and I. Pitas, Robust image watermarking in the spatial domain 66 (3) (1998) 385–403
Ninness, B., *see* H. Akcay 77 (3) (1999) 261–274
Ninness, B., *see* H. Akçay 68 (3) (1998) 307–315
Nister, D. and C. Christopoulos, Lossless region of interest coding 78 (1) (1999) 1–17
Nitsch, B.H., A frequency-selective stepfactor control for an adaptive filter algorithm working in the frequency domain 80 (9) (2000) 1733–1745
Nordsjö, A.E. *see* P. Stoica 63 (3) (1997) 211–220
Nott, D.J. and R.J. Wilson, Multi-phase image modelling with excursion sets 80 (1) (2000) 125–139
Nott, D.J. and R.J. Wilson, Parameter estimation for excursion set texture models 63 (3) (1997) 199–210

Obata, M., K. Wada, K. Toraichi, K. Mori and M. Ohira, An approximation of data points by piecewise polynomial functions and their dual orthogonal functions 80 (3) (2000) 507–514
Obradović, M., *see* D. Vučić 78 (3) (1999) 363–367
Odendaal, J.W., *see* J. Abele 80 (1) (2000) 141–149
Ödling, P., *see* J.-J. van de Beek 80 (7) (2000) 1321–1334
Odobez, J.-M. and P. Bouthemy, Direct incremental model-based image motion segmentation for video analysis 66 (2) (1998) 143–155
Ogawa, H., *see* M. Ohta 67 (3) (1998) 359–364
Oh, H.S., *see* S.R. Pillai 80 (5) (2000) 809–818
Ohira, M., *see* M. Obata 80 (3) (2000) 507–514
Ohta, M. and H. Ogawa, A stochastic response evaluation method for arbitrary acoustic systems based on an equivalence transformation toward a standard Gamma type probability expression 67 (3) (1998) 359–364

Oja, E., *see* A. Hyvärinen	64	(3) (1998)	301–313
Olkkonen, H. *see* P. Pesola	63	(3) (1997)	221–228
Olmo, G., *see* E. Magli	73	(3) (1999)	277–289
Olmo, G., *see* E. Magli	80	(5) (2000)	773–786
Olmo, G., *see* L. Presti	80	(12) (2000)	2567–2578
Olmo, G., E. Magli and L.Lo Presti, Joint statistical signal detection and estimation. Part I: Theoretical aspects of the problem	80	(1) (2000)	57–73
Olmo, G., F. Laterza and L.Lo Presti, Matched wavelet approach in stretching analysis of electrically evoked surface EMG signal	80	(4) (2000)	671–684
Olmos, S., J. García, R. Jané and P. Laguna, ECG signal compression plus noise filtering with truncated orthogonal expansions	79	(1) (1999)	97–115
Omair Ahmad, M. *see* C. Emanuel Savin	61	(1) (1997)	45–63
Orlov, D.A., V.I. Turchin and A.B. Gershman, On LLRT detection of deterministic signals in multiplicative noise	76	(3) (1999)	323–326
Osborne, C.F., *see* A.Z. Tirkel	66	(3) (1998)	373–383
Otsuka, N., *see* K. Ichige	71	(3) (1998)	227–233
Ottersten, B., *see* M. Kristensson	79	(1) (1999)	29–44
Ouldali, A. and M. Benidir, Statistical analysis of polynomial phase signals affected by multiplicative and additive noise	78	(1) (1999)	19–42
Ovarlez, J.-P., *see* E. Jay	80	(12) (2000)	2527–2540
Ovaska, S.J., *see* S. Väliviita	69	(3) (1998)	267–280
Ozaktas, H.M., *see* M.A. Kutay	77	(1) (1999)	105–109
Özaktas, H., *see* M.A. Kutay	77	(1) (1999)	105–109
Özgen, M.T., Fixed-frequency slice computation of discrete Cohen's bilinear class of time-frequency representations	80	(2) (2000)	219–230
Öztop, E., A.Y. Mülayim, V. Atalay and F. Yarman-Vural, Repulsive attractive network for baseline extraction on document images	75	(1) (1999)	1–10
Paarmann, L.D., Mapping from the s-domain to the z-domain via the magnitude-invariance method	69	(3) (1998)	219–228
Padala, S.K. and K.M.M. Prabhu, Pipelined CORDIC processors for generating Gaussian random numbers	72	(3) (1999)	177–181
Páez-Borrallo, J.M. *see* M. Harteneck	64	(1) (1998)	93–101
Pagès-Zamora, A. and M.A. Lagunas, Fourier models for non-linear signal processing	76	(1) (1999)	1–16
Pal, P. *see* N. Chatterjee	62	(2) (1997)	229–235
Pal, P., A. Mukherjee, S. Acharya and J. Das, Continuous detection of atmospheric patterns from SODAR signals	74	(2) (1999)	153–168
Palit, S., Signal extraction from multiple noisy sensors	61	(3) (1997)	199–212
Pan, W.H., *see* C.C. Ko	69	(3) (1998)	249–265
Panda, R. and B.N. Chatterji, B-spline signal processing using harmonic basis functions	72	(3) (1999)	147–166
Panella, M., *see* F.Fr Mascioli	80	(6) (2000)	1001–1016
Pango, P. and B. Champagne, On the efficient use of Givens rotations in SVD-based subspace tracking algorithms	74	(3) (1999)	253–277
Papanikolopoulos, N.P., *see* I. Pavlidis	71	(2) (1998)	187–201
Parga, N. and J.-P. Nadal, Blind source separation with time-dependent mixtures	80	(10) (2000)	2187–2194

Park, D.-J. *see* B.-E. Jun	62	(3) (1997)	323–333
Park, D.-J., *see* B.-C. Ihm	73	(3) (1999)	267–276
Park, S., *see* H. Kim	69	(3) (1998)	281–297
Park, S., *see* K. Kim	64	(2) (1998)	225–230
Park, S., *see* S. Park	80	(3) (2000)	451–464
Park, S., K. Kim, H.-M. Kim and I. Song, The DS/SSMA systems using trellis coding with asymmetric PSK signal constellation	67	(2) (1998)	173–187
Park, S., S. Park, I. Song and S. Yoon, On the generation and analysis of a modulated orthogonal sequence	80	(3) (2000)	451–464
Park, S.R., *see* K.S. Kim	74	(3) (1999)	317–322
Patra, S. and B. Mulgrew, Fuzzy techniques for adaptive nonlinear equalization	80	(6) (2000)	985–1000
Paul Murphy, N., *see* T.I. Laakso	80	(4) (2000)	567–575
Paul, J.S., M.R. Reddy and V.J. Kumar, A QRS estimator using linear prediction approach	72	(1) (1999)	15–22
Paul, J.S., M.R.S. Reddy and V.J. Kumar, A cepstral transformation technique for dissociation of wide QRS-type ECG signals using DCT	75	(1) (1999)	29–39
Paura, L., *see* D. Mattera	67	(1) (1998)	77–98
Pavlidis, I., N.P. Papanikolopoulos and R. Mavuduru, Signature identification through the use of deformable structures	71	(2) (1998)	187–201
Pearson, D.E., *see* K.T. Tan	70	(3) (1998)	279–294
Pedersini, F., A. Sarti and S. Tubaro, Joint automatic design of prefilter and decimation grid for the reduction of spectral redundancy in 2D digital signals	63	(3) (1997)	175–197
Pedersini, F., A. Sarti and S. Tubaro, Accurate and simple geometric calibration of multi-camera systems	77	(3) (1999)	309–334
Pedersini, F., P. Pigazzini, A. Sarti and S. Tubaro, Multicamera motion estimation for high-accuracy 3D reconstruction	80	(1) (2000)	1–21
Pei, S.-C. and M.-H. Yeh, Two dimensional discrete fractional Fourier transform	67	(1) (1998)	99–108
Pei, S.-C., *see* C.-C. Tseng	75	(3) (1999)	225–237
Pei, S.-C., *see* C.-C. Tseng	80	(1) (2000)	151–159
Pellegrino, F. and R. Andre-Obrecht, Automatic language identification: an alternative approach to phonetic modelling	80	(7) (2000)	1231–1244
Pellerin, D., *see* A. Spinei	65	(3) (1998)	347–362
Peperstraete, J.A. *see* L. De Coster	64	(1) (1998)	61–70
Peravali, R., *see* J.M. Morris	76	(2) (1999)	181–193
Pereira, F., *see* P. Correia	66	(2) (1998)	125–142
Pérez-González, F., *see* C. Mosquera	80	(5) (2000)	849–856
Pérez-González, F., *see* J.R. Hernández	80	(7) (2000)	1261–1280
Pérez-González, F., *see* C. Mosquera	76	(3) (1999)	269–283
Perez-Neira, A., Editorial: Fuzzy logic in signal processing	80	(6) (2000)	911–912
Pervin, S., *see* M. Chakraborty	80	(12) (2000)	2633–2640
Pesola, P. and H. Olkkonen, Autoregressive state-space approach for numerical signal analysis	63	(3) (1997)	221–228
Pesquet-Popescu, B., Statistical properties of the wavelet decomposition of certain non-Gaussian self-similar processes	75	(3) (1999)	303–322
Peyre, J.L. *see* J. Le Roux	63	(2) (1997)	163–168

Philips, W., Fast orthogonalization algorithms for segmented image coding	61	(3) (1997)	265–274
Pickalov, V.V., *see* I.G. Kazantsev	78	(1) (1999)	117–126
Pigazzini, P., *see* F. Pedersini	80	(1) (2000)	1–21
Pigeon, S. and L. Vandendorpe, Image-based multimodal face authentication	69	(1) (1998)	59–79
Pillai, S.R., H.S. Oh and A. Antoniou, A new estimation technique for high-resolution bathymetry	80	(5) (2000)	809–818
Pitas, I., *see* N. Nikolaidis	66	(3) (1998)	385–403
Piva, A., *see* M. Barni	66	(3) (1998)	357–372
Plataniotis, K.N., *see* W.I. Tam	77	(1) (1999)	85–104
Pluzhnikov, A.D., E.N. Pribludova and E.I. Torgushin, Woodward constant with space-distance resolution in radar scanning system	65	(1) (1998)	129–134
Poon, J.C.H., *see* W. Li	75	(3) (1999)	265–275
Poor, H.Vi, *see* S. Sarkar	80	(12) (2000)	2541–2552
Porti, J., *see* D.P. Ruiz	65	(3) (1998)	403–406
Porter, P.S., *see* I.G. Zurbenko	65	(2) (1998)	315–327
Prabhu, K.M.M., *see* S.K. Padala	72	(3) (1999)	177–181
Prasad, S. *see* M. Agrawal	62	(2) (1997)	237–241
Prasad, S., *see* M. Agrawal	77	(1) (1999)	21–36
Pratikakis, I.E., H. Sahli and J. Cornelis, Low level image partitioning guided by the gradient watershed hierarchy	75	(2) (1999)	173–195
Presti, L., *see* L. Galleani	65	(1) (1998)	147–153
Presti, L., G. Olmo and D. Bosetto, Turbo estimation algorithms: general principles, and applications to modal analysis	80	(12) (2000)	2567–2578
Presti, L.Lo, *see* E. Magli	80	(5) (2000)	773–786
Presti, L.Lo, *see* G. Olmo	80	(1) (2000)	57–73
Presti, L.Lo, *see* G. Olmo	80	(4) (2000)	671–684
Pribludova, E.N., *see* A.D. Pluzhnikov	65	(1) (1998)	129–134
Prieto, A., C.G. Puntonet and B. Prieto, A neural learning algorithm for blind separation of sources based on geometric properties	64	(3) (1998)	315–331
Prieto, B., *see* A. Prieto	64	(3) (1998)	315–331
Primak, S., *see* G. Kotler	75	(1) (1999)	79–88
Primak, S., *see* V. Lyandres	80	(5) (2000)	883–887
Primak, S., V. Lyandres, O. Kaufman and M. Kliger, On the generation of correlated time series with a given probability density function	72	(2) (1999)	61–68
Prince, J.L., *see* C. Xu	71	(2) (1998)	131–139
Pronzato, L., *see* J.-P. Costa	80	(4) (2000)	553–566
Prost, R. *see* H.-Y. Jung	63	(1) (1997)	35–43
Prost, R., *see* H.-Y. Jung	80	(12) (2000)	2609–2615
Proust, S., *see* A. Gilloire	80	(7) (2000)	1149–1166
Puder, H., *see* A. Mader	80	(9) (2000)	1697–1719
Puder, H., *see* J. Leibrich	80	(9) (2000)	1761–1776
Pun, T., *see* J.J. Ruanaidh	66	(3) (1998)	303–317
Puntonet, C.G., *see* A. Prieto	64	(3) (1998)	315–331
Qiu, S., F. Zhou and P.E. Crandall, Discrete Gabor transforms with complexity $O(N\log N)$	77	(2) (1999)	159–170
Rabenstein, R. *see* F. Heinle	64	(1) (1998)	49–60

Rahman, M.S., Fourier analysis of the full-wave rectified matched filter output of a modified chirp-matched filter spectrum analyzer for envelope detection 63 (1) (1997) 91–100
Rajagopal, R., K.A. Kumar and P.R. Rao, Signal subspace beamforming in the presence of coherent interferences and unknown correlated noise fields 63 (1) (1997) 17–33
Rajagopalan, A.N. and S. Chaudhuri, MRF model-based identification of shift-variant point spread function for a class of imaging systems 76 (3) (1999) 285–299
Ralev, K. and P. Bauer, New tools for localization of limit cycles in recursive block floating point systems 69 (2) (1998) 169–175
Ramakrishnan, B.V., *see* K.V.S. Hari 79 (1) (1999) 73–85
Ramamurthi, B., *see* K. Vasudevan 78 (2) (1999) 159–176
Ramanathan, S., V. Visvanathan and S.K. Nandy, A computational engine for multirate FIR digital filtering 79 (2) (1999) 213–222
Ramkumar, M. and G.V. Anand, An FFT-based technique for fast fractal image compression 63 (3) (1997) 263–268
Ramponi, G., A cubic unsharp masking technique for contrast enhancement 67 (2) (1998) 211–222
Ramponi, G., Contrast enhancement in images via the product of linear filters 77 (3) (1999) 349–353
Rao, C.B.R. *see* R.V.R. Kumar 63 (3) (1997) 229–240
Rao, K.R., *see* V. Britanak 79 (2) (1999) 135–150
Rao, P. and A.Da Barman, Speech formant frequency estimation: evaluating a nonstationary analysis method 80 (8) (2000) 1655–1667
Rao, P.R. *see* R. Rajagopal 63 (1) (1997) 17–33
Rath, G.B. and A. Makur, A backward segmented-block matching algorithm for video compression 70 (1) (1998) 75–79
Rath, G.B. and A. Makur, A fast matching criterion for VLSI implementation of block-based motion estimation 73 (3) (1999) 297–301
Ravier, P. and P.-O. Amblard, Combining an adapted wavelet analysis with fourth-order statistics for transient detection 70 (2) (1998) 115–128
Ray, N.C. *see* S. Bhattacharya 62 (1) (1997) 61–72
Rayner, P.J., *see* E.E. Kuruoğlu 69 (1) (1998) 1–14
Raz, S., *see* I. Cohen 73 (3) (1999) 203–223
Raz, S., *see* I. Cohen 75 (3) (1999) 201–223
Razavilar, J., Li, Y., K.J.R. Liu, A structured low-rank matrix pencil for spectral estimation and system identification 65 (3) (1998) 363–372
Re, E., *see* M. Rupi 80 (3) (2000) 381–396
Reddy, M.R., *see* J.S. Paul 72 (1) (1999) 15–22
Reddy, M.R.S., *see* J.S. Paul 75 (1) (1999) 29–39
Reddy, V.U., *see* K. Ghose 80 (8) (2000) 1459–1467
Reddy, V.U., *see* K.V.S. Babu 68 (3) (1998) 317–339
Reddy, V.U., *see* Y. Xie 80 (1) (2000) 185–195
Refenes, A.-P.N., *see* A.N. Burgess 74 (1) (1999) 89–99
Regalia, P.A., On the equivalence between the Godard and Shalvi–Weinstein schemes of blind equalization 73 (1–2) (1999) 185–190
Regazzoni, C.S., *see* A. Tesei 65 (2) (1998) 267–281
Ren, W., *see* A.K. Wang 73 (3) (1999) 255–266
Rheem, J., *see* K. Lee 80 (12) (2000) 2579–2588
Richard, C. and R. Lengelle, Data-driven design and complexity control of time–frequency detectors 77 (1) (1999) 37–48

Ridley, K.D. and E. Jakeman, Signal-to-noise analysis of FM demodulation in the presence of multiplicative and additive noise 80 (9) (2000) 1895–1907
Rigas, A.G. and P. Liatsis, Identification of a neuroelectric system involving a single input and a single output 80 (9) (2000) 1883–1894
Ristic, B., *see* B. Boashash 67 (1) (1998) 1–23
Rizzi, A., *see* F.Fr Mascioli 80 (6) (2000) 1001–1016
Rodríguez, J.M., *see* J.R. Hernández 80 (7) (2000) 1261–1280
Rohling, H., *see* T. May 80 (2) (2000) 349–355
Rojewski, M., *see* E. Hermanowicz 67 (3) (1998) 279–289
Roli, F., *see* L. Bruzzone 64 (3) (1998) 271–290
Ronga, L.S. *see* E. Del Re 61 (2) (1997) 91–100
Rouvaen, J.M. *see* J. Assaad 61 (1) (1997) 83–88
Rouvaen, J.M., *see* A. Djebbari 72 (3) (1999) 193–198
Rouvaen, J.M., *see* A. Djebbari 64 (2) (1998) 177–183
Rouvaen, J.M., *see* A. Djebbari 69 (2) (1998) 199–205
Rouvaen, J.M., A. Djebbari, A. Menhaj-Rivenq, Al. Djebbari and Z. Chama, An algorithm for signal reconstruction from its phase based upon least square criteria 79 (1) (1999) 67–72
Rovatti, R., C. Fantuzzi and S. Simani, High-speed DSP-based implementation of piecewise-affine and piecewise-quadratic fuzzy systems 80 (6) (2000) 951–963
Roviras, D., *see* J. Bakkoury 80 (7) (2000) 1347–1360
Roy, S.C.D. *see* M. Agrawal 62 (2) (1997) 237–241
Ruanaidh, J.J. and T. Pun, Rotation, scale and translation invariant spread spectrum digital image watermarking 66 (3) (1998) 303–317
Ruggeri, G., *see* F. Beritelli 80 (7) (2000) 1393–1398
Ruiz, D.P., A. Gallego, M. Carrión and J. Portí, Order determination of MA models using third- and fourth-order statistics 65 (3) (1998) 403–406
Ruiz-Alzola, J., C. Alberola-López and J.-R.C. Corredera, Model-based stereo-visual tracking: Covariance analysis and tracking schemes 80 (1) (2000) 23–43
Rupi, M., P. Tsakalides, E. Re and C.L. Nikias, Robust spatial filtering of coherent sources for wireless communications 80 (3) (2000) 381–396
Rupp, M. and J. Cezanne, Robustness conditions of the LMS algorithm with time-variant matrix step-size 80 (9) (2000) 1787–1794
Russo, G., *see* A. Neri 66 (2) (1998) 219–232
Rusu, C. and C.F. Cowan, Adaptive data echo cancellation using cost function adaptation 80 (11) (2000) 2457–2473

Sadasivan, P.K. and D.N. Dutt, Development of Newton-type adaptive algorithm for minimization of EOG artefacts from noisy EEG signals 62 (2) (1997) 173–186
Sahli, H., *see* I.E. Pratikakis 75 (2) (1999) 173–195
Sahlin, H. and H. Broman, Separation of real-world signals 64 (1) (1998) 103–113
Sahlin, H., *see* H. Broman 73 (1–2) (1999) 169–183
Sakai, H. and H. Nakaoka, A fast sliding window QRD-RLS algorithm 78 (3) (1999) 309–319
Sakai, H. and K. Shimizu, A new adaptive algorithm for minor component analysis 71 (3) (1998) 301–308
Sakitani, K. and H. Maeda, Optimum noise reduction of conjugate quadrature filter bank 80 (5) (2000) 819–829
Salembier, P., *see* L. Garrido 66 (2) (1998) 157–180

Sandberg, I.W., Comments on "Representation theorems for semilocal and bounded linear shift-invariant operators on sequences" 74 (3) (1999) 323–325
Sanson, H., *see* J. Benois-Pineau 66 (2) (1998) 181–201
Santhanam, B. and P. Maragos, Harmonic analysis and restoration of separation methods for periodic signal mixtures: Algebraic separation versus comb filtering 69 (1) (1998) 81–91
Sanubari, J. and K. Tokuda, RLS-type two-dimensional adaptive filter with a t-distribution assumption 80 (12) (2000) 2483–2495
Sanzullo, R., *see* A. Farina 80 (2) (2000) 295–310
Sarca, O.V., E.R. Dougherty and J. Astola, Secondarily constrained Boolean filters 71 (3) (1998) 247–263
Sarkar, S. and H.Vi Poor, Cyclic wavelet transforms for arbitrary finite data lengths 80 (12) (2000) 2541–2552
Sarroukh, B.E., *see* A.C. den Brinker 80 (2) (2000) 243–250
Sarti, A. *see* F. Pedersini 63 (3) (1997) 175–197
Sarti, A., *see* F. Pedersini 77 (3) (1999) 309–334
Sarti, A., *see* F. Pedersini 80 (1) (2000) 1–21
Savaria, Y., *see* E. Granger 64 (3) (1998) 249–269
Scalart, P. *see* C. Beaugeant 64 (1) (1998) 33–47
Scalart, P., *see* A. Gilloire 80 (7) (2000) 1149–1166
Schafer, R.W. *see* J. Crespo 62 (1) (1997) 37–60
Schertler, T., *see* C. Breining 80 (9) (2000) 1721–1731
Schmajuk, N.A., W.A. Szymanski and E. Axelrad Weaver, Adaptive communication in animals and robots 74 (1) (1999) 71–87
Schmidt, G., *see* A. Mader 80 (9) (2000) 1697–1719
Schmidt, G., *see* E. Hänsler 80 (11) (2000) 2295–2305
Schnitzler, J. and P. Vary, Trends and perspectives in wideband speech coding 80 (11) (2000) 2267–2281
Schröder, H., *see* O. Franzen 68 (3) (1998) 295–306
Schüpp, S., *see* A. Elmoataz 71 (2) (1998) 215–226
Schultz, N. and K. Conradsen, 2D vector-cycle deformable templates 71 (2) (1998) 141–153
Sebastiani, G. and S. Stramaglia, A Bayesian approach for the median filter in image processing 62 (3) (1997) 303–309
See, C.-M.S., C.F.N. Cowan and A. Nehorai, Spatio-temporal channel identification and equalization in the presence of strong co-channel interference 78 (2) (1999) 127–138
Sekko, E., G. Thomas and A. Boukrouche, A deconvolution technique using optimal Wiener filtering and regularization 72 (1) (1999) 23–32
Serpico, S.B., *see* L. Bruzzone 64 (3) (1998) 271–290
Serra, J. *see* J. Crespo 62 (1) (1997) 37–60
Setarehdan, S.K. and J.J. Soraghan, Automatic left ventricular centre point extraction in echocardiographic images 61 (3) (1997) 275–288
Shamsunder, S., *see* R.N. Challa 65 (1) (1998) 39–53
Shen, C. and U. Lemmin, Ultrasonic intensity power spectrum estimation by using the bispectral reconstruction technique 61 (1) (1997) 39–44
Shen, J., W. Shen, H.J. Sun and J.Y. Yang, Fuzzy neural nets with non-symmetric π membership functions and applications in signal processing and image analysis 80 (6) (2000) 965–983
Shen, L.-X., *see* H. Tan 79 (1) (1999) 45–65
Shen, W., *see* J. Shen 80 (6) (2000) 965–983

Sheng, Y., *see* C.C. Ko	69	(3) (1998)	249–265
Sherlock, B.G., Windowed discrete Fourier transform for shifting data	74	(2) (1999)	169–177
Shi, W.-X., *see* D.-Z. Feng	64	(3) (1998)	333–346
Shih, T.-M., *see* D.-Q. Dai	67	(1) (1998)	109–121
Shimizu, K., *see* H. Sakai	71	(3) (1998)	301–308
Shirai, K., *see* K. Lee	65	(3) (1998)	373–381
Shtrauss, V., Spectrum analysis and synthesis of relaxation signals	63	(2) (1997)	107–119
Shui, P.-L. and Z. Bao, Construction of nearly orthogonal interpolating wavelets	79	(3) (1999)	289–300
Shynk, J.J., *see* R. Chandrasekaran	80	(10) (2000)	2033–2047
Sicuranza, G.L., *see* A. Carini	80	(3) (2000)	549–552
Silva, M.M. *see* J.A.B. Gerald	61	(1) (1997)	1–8
Simani, S., *see* R. Rovatti	80	(6) (2000)	951–963
Simard, P., *see* E.Le Tavernier	65	(1) (1998)	115–128
Simard, P., *see* S. Soltani	80	(10) (2000)	2195–2205
Sinha, S. *see* S. Bhattacharya	62	(1) (1997)	61–72
Sinha, V.P., *see* K.S. Venkatesh	80	(1) (2000)	101–115
Siu, W.-C., *see* Y.-L. Chan	76	(2) (1999)	135–146
Siu, W.-C., *see* S.-W. Hong	65	(3) (1998)	337–346
Siu, W.C., *see* W. Li	75	(3) (1999)	265–275
Skowronski, J., A nonlinear transform for subband image coding	77	(3) (1999)	289–307
Slock, D.T., *see* E. de Carvalho	80	(10) (2000)	1999–2015
Slock, D.T., *see* H. Trigui	80	(7) (2000)	1335–1346
Slock, D.T., *see* J. Ayadi	80	(10) (2000)	2049–2062
Slump, C.H., *see* G.O. Glentis	80	(8) (2000)	1399–1418
Söderström, T., *see* E. Karlsson	80	(11) (2000)	2421–2447
Sodha, J., *see* R. Brissett	77	(1) (1999)	63–70
Soh, Y., *see* L. Li	75	(1) (1999)	65–77
Soh, Y., *see* Z. Tan	75	(2) (1999)	141–149
Soltani, S., D. Boichu, P. Simard and S. Canu, The long-term memory prediction by multiscale decomposition	80	(10) (2000)	2195–2205
Song Goy, S., *see* Q. Jiang	72	(1) (1999)	47–52
Song, I., *see* K.S. Kim	74	(3) (1999)	317–322
Song, I., *see* H. Kim	69	(3) (1998)	281–297
Song, I., *see* H. Kim	80	(4) (2000)	731–736
Song, I., *see* K. Kim	64	(2) (1998)	225–230
Song, I., *see* S. Kim	70	(1) (1998)	43–51
Song, I., *see* S. Park	67	(2) (1998)	173–187
Song, I., *see* S. Park	80	(3) (2000)	451–464
Soon, I., S. Koh and C. Yeo, Improved noise suppression filter using self-adaptive estimator of probability of speech absence	75	(2) (1999)	151–159
Soon, I.Y., *see* Chen, C.Q.	76	(3) (1999)	311–322
Soong, T.-W., *see* Y. Yang	70	(1) (1998)	61–71
Soraghan, J.J. *see* A. Alkulaibi	62	(1) (1997)	101–109
Soraghan, J.J. *see* A. Alkulaibi	63	(2) (1997)	133–140
Soraghan, J.J. *see* S.K. Setarehdan	61	(3) (1997)	275–288
Spagnolini, U. and S. Grion, Shape parameter estimation of wavefronts with known waveform	68	(3) (1998)	233–257

Spinei, A., D. Pellerin and J. Hérault, Spatiotemporal energy-based method for velocity estimation 65 (3) (1998) 347–362
Spriet, T., *see* B. Bigi 80 (6) (2000) 1085–1097
Sridharan, M.K., Subband adaptive filtering: Oversampling approach 71 (1) (1998) 101–104
Srinivasan, R., Some results in importance sampling and an application to detection 65 (1) (1998) 73–88
Srinivasan, R., Estimation and approximation of densities of i.i.d. sums via importance sampling 71 (3) (1998) 235–246
Stanhill, D. and Y.Y. Zeevi, Frame analysis of wavelet-type filter banks 67 (2) (1998) 125–139
Stanković, L., *see* I. Djurović 77 (1) (1999) 115–120
Stanković, L. and J.F. Böhme, Time–frequency analysis of multiple resonances in combustion engine signals 79 (1) (1999) 15–28
Stanković, L., *see* A.B. Gershman 80 (12) (2000) 2507–2515
Stanković, L., *see* V. Katkovnik 67 (3) (1998) 345–358
Stanković, S., About time-variant filtering of speech signals with time-frequency distributions for hands-free telephone systems 80 (9) (2000) 1777–1785
Starck, J.-L. and F. Murtagh, Multiscale entropy filtering 76 (2) (1999) 147–165
Steendam, H. and M. Moeneclaey, Sensitivity of orthogonal frequency-division multiplexed systems to carrier and clock synchronization errors 80 (7) (2000) 1217–1230
Stefano, A., *see* L. Galleani 65 (1) (1998) 147–153
Steinbach, E., P. Eisert and B. Girod, Motion-based analysis and segmentation of image sequences using 3-D scene models 66 (2) (1998) 233–247
Stelmach, L., *see* P. Corriveau 77 (1) (1999) 1–9
Stenger, A. *see* F. Heinle 64 (1) (1998) 49–60
Stenger, A. and W. Kellermann, Adaptation of a memoryless preprocessor for nonlinear acoustic echo cancelling 80 (9) (2000) 1747–1760
Stewart, R.W. *see* M. Harteneck 64 (1) (1998) 93–101
Stoffel, A., Remarks on the unsubsampled wavelet transform and the lifting scheme 69 (2) (1998) 177–181
Stoica, P. *see* Z.-S. Liu 62 (3) (1997) 311–321
Stoica, P. and A.E. Nordsjö, Subspace-based frequency estimation in the presence of moving-average noise using decimation 63 (3) (1997) 211–220
Stoica, P., *see* A.B. Gershman 76 (3) (1999) 221–235
Stoica, P., *see* H. Broman 73 (1–2) (1999) 169–183
Stoica, P., *see* M. Jansson 77 (3) (1999) 235–245
Stoica, P., *see* E. Karlsson 80 (11) (2000) 2421–2447
Stoica, P., *see* H. Li 80 (9) (2000) 1937–1944
Stoica, P., *see* O. Besson 66 (1) (1998) 27–43
Stoica, P., A. Jakobsson and J. Li, Matched-filter bank interpretation of some spectral estimators 66 (1) (1998) 45–59
Stoica, P., A. Jakobsson and A.L. Swindlehurst, On the identifiability of multipath parameters 74 (3) (1999) 327–330
Stoica, P. and T. Sundin, Optimally smoothed periodogram 78 (3) (1999) 253–264
Stramaglia, S. *see* G. Sebastiani 62 (3) (1997) 303–309
Strintzis, M.G. and D. Tzovaras, Optimal pyramidal and subband decompositions for the hierarchical representation of vector valued signals 65 (1) (1998) 55–71
Strintzis, M.G., Optimal construction of filter banks for subband coding of quantised signals 62 (1) (1997) 15–36

Su, C.-Y., *see* B.-F. Wu 79 (3) (1999) 309–314
Su, J., *see* D. Liu 80 (9) (2000) 1849–1861
Suguimoto, M., *see* S. Hayashi 72 (2) (1999) 97–105
Sun, H.J., *see* J. Shen 80 (6) (2000) 965–983
Sun, Y., *see* H.D. Cheng 75 (3) (1999) 277–301
Sun, Y.-N., *see* W.-H. Lin 65 (1) (1998) 103–113
Sundin, T., *see* P. Stoica 78 (3) (1999) 253–264
Sung, K.-M. *see* Y. Taewon 63 (2) (1997) 151–156
Sung, K.-M., *see* S. Baek 75 (1) (1999) 89–92
Sung, K.-M., *see* S.-W. Lee 77 (3) (1999) 343–347
Swami, A. and P. Tichavský, Strong ergodicity conditions for the *n*th-order moment (cumulant) of multiple sinusoids 65 (2) (1998) 257–266
Swami, A., *see* M. Ghogho 78 (1) (1999) 43–60
Swamy, M.N.S. *see* C. Emanuel Savin 61 (1) (1997) 45–63
Swanson, M.D., B. Zhu, A.H. Tewfik and L. Boney, Robust audio watermarking using perceptual masking 66 (3) (1998) 337–355
Swindlehurst, A.L., *see* P. Stoica 74 (3) (1999) 327–330
Swingler, D.N., Approximations to the Cramer–Rao lower bound for a single damped exponential signal 75 (2) (1999) 197–200
Swingler, D.N., Approximate expressions for the Cramer–Rao lower bounds on parameter estimates for a pair of closely spaced cisoids 76 (1) (1999) 99–104
Szymanski, W.A., *see* N.A. Schmajuk 74 (1) (1999) 71–87

Tăbuş, I., *see* C. Giurcăneanu 80 (11) (2000) 2283–2294
Tăbuş, I., *see* R. Niemistö 70 (2) (1998) 147–151
Tadokoro, Y., *see* Y. Xiao 69 (2) (1998) 131–147
Taewon, Y., L. JooHun, Y.L. Ki and K.-M. Sung, On robust Kalman filtering with forgetting factor for sequential speech analysis 63 (2) (1997) 151–156
Talone, P., *see* A. Neri 66 (2) (1998) 219–232
Tam, W.I., K.N. Plataniotis and D. Hatzinakos, An adaptive Gaussian sum algorithm for radar tracking 77 (1) (1999) 85–104
Tan, H., *see* T. Tan 80 (9) (2000) 1917–1935
Tan, H., L.-X. Shen and J. Tham, New biorthogonal multiwavelets for image compression 79 (1) (1999) 45–65
Tan, H.-Z. *see* T.W.S. Chow 61 (1) (1997) 23–38
Tan, K.T., M. Ghanbari and D.E. Pearson, An objective measurement tool for MPEG video quality 70 (3) (1998) 279–294
Tan, T., G. Bi and H. Tan, Fast recursive algorithms for 2-D discrete cosine transform 80 (9) (2000) 1917–1935
Tan, Y., X.-Q. Gao and Z.-Y. He, Neural networks design approach for cosine-modulated FIR filter banks and compactly supported wavelets with almost PR property 69 (1) (1998) 29–48
Tan, Z., Y. Soh and L. Xie, H_2 optimal envelope-constrained FIR filter design: An LMI approach 75 (2) (1999) 141–149
Tang, D.-C., *see* J.-H. Lee 80 (8) (2000) 1435–1444
Taqqu, M.S., *see* D. Veitch 80 (9) (2000) 1971–1983
Tarczynski, A., *see* T.I. Laakso 80 (4) (2000) 567–575
Taricco, G., *see* E. Biglieri 80 (7) (2000) 1135–1148

Tavernier, E.Le, P. Simard, M. Bulo and D. Boichu, La méthode de Higuchi pour la dimension fractale 65 (1) (1998) 115–128
Tay, D.B., *see* Y. Zheng 80 (8) (2000) 1535–1549
Tekalp, A.Murat, *see* B. Günsel 66 (2) (1998) 261–280
Tesei, A. and C.S. Regazzoni, HOS-based generalized noise pdf models for signal detection optimization 65 (2) (1998) 267–281
Tewfik, A.H., *see* M.D. Swanson 66 (3) (1998) 337–355
Tham, J., *see* H. Tan 79 (1) (1999) 45–65
Theodoridis, S., *see* E. Kofidis 68 (1) (1998) 1–21
Theodoridis, S., *see* K. Georgoulakis 80 (9) (2000) 1795–1805
Thierry, E., *see* J.-P. Costa 80 (4) (2000) 553–566
Thomas, G., *see* E. Sekko 72 (1) (1999) 23–32
Thompson, J.S., P.M. Grant and B. Mulgrew, Performance of antenna array receiver algorithms for CDMA 68 (1) (1998) 23–41
Tichavský, P. *see* P. Händel 62 (2) (1997) 247–250
Tichavský, P., *see* A. Swami 65 (2) (1998) 257–266
Tirkel, A.Z., C.F. Osborne and T.E. Hall, Image and watermark registration 66 (3) (1998) 373–383
Tochinai, K., *see* K. Funaki 74 (3) (1999) 279–295
Tohumoglu, G., *see* M.An Losada 80 (7) (2000) 1281–1288
Tokuda, K., *see* J. Sanubari 80 (12) (2000) 2483–2495
Tolimieri, R., *see* A.K. Brodzik 80 (3) (2000) 413–423
Tong, L., *see* D. Liu 73 (1–2) (1999) 81–104
Toraichi, K., *see* M. Obata 80 (3) (2000) 507–514
Torgushin, E.I., *see* A.D. Pluzhnikov 65 (1) (1998) 129–134
Torlak, M., L.K. Hansen and G. Xu, A geometric approach to blind source separation for digital wireless applications 73 (1–2) (1999) 153–167
Torres, L., J.R. Casas and E. Arias, Stochastic vector quantization of images 62 (3) (1997) 291–301
Tourneret, J.-Y., *see* M. Chabert 80 (3) (2000) 397–411
Tourneret, J.-Y., Detection and estimation of abrupt changes contaminated by multiplicative Gaussian noise 68 (3) (1998) 259–270
Tourneret, J.-Y., Normality of a non-linear transformation of AR parameters: Application to reflection and cepstrum coefficients 62 (1) (1997) 1–14
Tourneret, J.-Y., Statistical properties of line spectrum pairs 65 (2) (1998) 239–255
Treichler, J.R., Practical blind demodulators for high-order QAM signals 67 (3) (1998) 331–344
Trigui, H. and D.T. Slock, Performance bounds for cochannel interference cancellation within the current GSM standard 80 (7) (2000) 1335–1346
Tsai, H.-H. and P.-T. Yu, Adaptive fuzzy hybrid multichannel filters for removal of impulsive noise from color images 74 (2) (1999) 127–151
Tsai, W.-H., *see* J. Chingyu Yang 70 (1) (1998) 23–42
Tsakalides, P., *see* M. Rupi 80 (3) (2000) 381–396
Tsang, P.W.M. and W.T. Lee, An adaptive decimation and interpolation scheme for low complexity image compression 65 (3) (1998) 391–401
Tsatsanis, M.K., *see* Z.D. Xu 73 (1–2) (1999) 125–138
Tseng, C.-C., S.-C. Pei and S.-C. Hsia, Computation of fractional derivatives using Fourier transform and digital FIR differentiator 80 (1) (2000) 151–159
Tseng, C.-C., Stable IIR digital differentiator design using iterative quadratic programming approach 80 (5) (2000) 857–866

Tseng, C.-C. and S.-C. Pei, Design of an equiripple FIR notch filter using a multiple exchange algorithm 75 (3) (1999) 225–237
Tsou, T.-H., *see* K.-S. Lii 65 (2) (1998) 221–237
Tubaro, S. *see* F. Pedersini 63 (3) (1997) 175–197
Tubaro, S., *see* F. Pedersini 77 (3) (1999) 309–334
Tubaro, S., *see* F. Pedersini 80 (1) (2000) 1–21
Tugnait, J.K., Adaptive blind separation of convolutive mixtures of independent linear signals 73 (1–2) (1999) 139–152
Tummala, M., *see* A.M. Aziz 76 (2) (1999) 195–209
Tummala, M., *see* R. Cristi 80 (9) (2000) 1945–1958
Turbin, V. *see* C. Beaugeant 64 (1) (1998) 33–47
Turchin, V.I., *see* D.A. Orlov 76 (3) (1999) 323–326
Tzeng, S.-T. and H.-C. Lu, Complex genetic algorithm approach for designing equiripple complex FIR digital filters with weighting function 80 (1) (2000) 197–204
Tzeng, S.-T., *see* H.-C. Lu 80 (3) (2000) 497–505
Tzeng, S.-T., *see* H.C. Lu 80 (8) (2000) 1445–1458
Tzeng, S.-T. and H.-C. Lu, Genetic algorithm approach for designing higher-order digital differentiators 79 (2) (1999) 175–186
Tzovaras, D., *see* M.G. Strintzis 65 (1) (1998) 55–71

Uday Shankar, H., *see* P.S. Naidu 72 (2) (1999) 107–116
Ueng, F.-B., *see* S.-J. Yu 80 (10) (2000) 2249–2254
Ueng, F.B., *see* S.J. Yu 80 (12) (2000) 2497–2506
Unbehauen, R. and F.-L. Luo, Introduction to the Special Issue on Neural Networks 64 (3) (1998) 231–232
Unbehauen, R., *see* M. Lendl 64 (3) (1998) 359–370
Unbehauen, R., *see* Z. Mou-yan 64 (2) (1998) 185–192
Ur, H. and D. Gold, Reduction of quantization noise in the Notch Fourier transform 64 (2) (1998) 145–155

Vaillette, G., *see* P.D. Gader 80 (6) (2000) 1069–1084
Vainio, O. *see* J. Astola 61 (2) (1997) 181–197
Vakman, D., *see* L. Cohen 79 (3) (1999) 301–307
Valeri, M., *see* A. Farina 65 (3) (1998) 329–336
Välimäki, V., *see* T.I. Laakso 80 (4) (2000) 567–575
Väliviita, S. and S.J. Ovaska, Delayless recursive differentiator with efficient noise attenuation for control instrumentation 69 (3) (1998) 267–280
Van Compernolle, D. *see* H.-L. Nguyen 62 (2) (1997) 163–171
van de Beek, J.-J., P. Börjesson, M.-L. Boucheret, D. Landström, J. Arenas, P. Ödling and S. Wilson, Three non-pilot based time- and frequency estimators for OFDM 80 (7) (2000) 1321–1334
van der Veen, A.-J., Blind separation of BPSK sources with residual carriers 73 (1–2) (1999) 67–79
Vandaele, P. and M. Moonen, A stochastic subspace algorithm for blind channel identification in noise fields with unknown spatial covariance 80 (2) (2000) 357–367
Vandaele, P. and M. Moonen, Two deterministic blind channel estimation algorithms based on oblique projections 80 (3) (2000) 481–495
Vandendorpe, L., *see* B. Macq 80 (7) (2000) 1167–1184
Vandendorpe, L., *see* S. Pigeon 69 (1) (1998) 59–79

Van Gerven, S. *see* H.-L. Nguyen 62 (2) (1997) 163–171
von Hoff, T.P., A.G. Lindgren and A.N. Kaelin, Transpose properties in the stability and performance of the classic adaptive algorithms for blind source separation and deconvolution 80 (9) (2000) 1807–1822
Vanwormhoudt, M.C., Rings of hypercomplex numbers for NT Fourier transforms 67 (2) (1998) 189–198
Vary, P. *see* S. Gustafsson 64 (1) (1998) 21–32
Vary, P., *see* J. Schnitzler 80 (11) (2000) 2267–2281
Vasudevan, K., K. Giridhar and B. Ramamurthi, Noncoherent detection of multilevel signals in frequency nonselective fading channels 78 (2) (1999) 159–176
Veitch, D., M.S. Taqqu and P. Abry, Meaningful MRA initialization for discrete time series 80 (9) (2000) 1971–1983
Venkatesh, K.S. and V.P. Sinha, A locality principle for system theory 80 (1) (2000) 101–115
Vergara, L. and P. Bernabeu, Automatic signal detection applied to fire control by infrared digital signal processing 80 (4) (2000) 659–669
Verrazzani, L., *see* A. Farina 80 (5) (2000) 803–808
Verrazzani, L., *see* F. Gini 80 (6) (2000) 1115–1126
Vesin, J.-M. and R. Grüter, Model selection using a simplex reproduction genetic algorithm 78 (3) (1999) 321–327
Viberg, M., *see* J. Eriksson 80 (9) (2000) 1823–1831
Visvanathan, V., *see* S. Ramanathan 79 (2) (1999) 213–222
Vitulano, D. *see* L. Moltedo 63 (2) (1997) 157–162
Vitulano, S. *see* L. Moltedo 63 (2) (1997) 157–162
Vučić, D. and M. Obradović, Spectral correlation evaluation of MSK and offset QPSK modulation 78 (3) (1999) 363–367

Wada, K., *see* M. Obata 80 (3) (2000) 507–514
Wagter, C.De, *see* Y.De Deene 70 (2) (1998) 85–101
Walle, R.Va, *see* Y.De Deene 70 (2) (1998) 85–101
Wandell, B.A., *see* X. Zhang 70 (3) (1998) 201–214
Wang, A.K. and W. Ren, Convergence analysis of the filtered-U algorithm for active noise control 73 (3) (1999) 255–266
Wang, C. and M.G. Amin, Time–frequency distribution spectral polynomials for instantanous frequency estimation 76 (2) (1999) 211–217
Wang, S., *see* L. Xie 80 (11) (2000) 2365–2378
Wang, S. and C. Zhang, Minimum order input–output equation for LTV digital filters with time-varying state dimension 76 (3) (1999) 301–309
Wang, Y. and G. Zhou, On the use of high-order ambiguity function for multi-component polynomial phase signals 65 (2) (1998) 283–296
Wang, Z. *see* B. Farhang-Boroujeny 61 (3) (1997) 213–223
Wang, Z., *see* Y. Zhu 73 (3) (1999) 191–201
Weerasinghe, C. and H. Yan, Correction of motion artifacts in MRI caused by rotations at constant angular velocity 70 (2) (1998) 103–114
Weerasinghe, C., H. Yan and L. Ji, A fast method for estimation of object rotation function in MRI using a similarity criterion among k-space overlap data 78 (2) (1999) 215–230
Weerasinghe, C., L. Ji and H. Yan, A new method for ROI extraction from motion affected MR images based on suppression of artifacts in the image background 80 (5) (2000) 867–881

White, L.B., *see* W.P. Malcolm 69 (1) (1998) 49–57
Wicker, D., *see* L. Hong 71 (1) (1998) 55–77
Wigren, T., Avoiding ill-convergence of finite dimensional blind adaptation schemes excited by discrete symbol sequences 62 (2) (1997) 121–162
Wilde, P.De, *see* D.I. Kim 80 (11) (2000) 2379–2406
Wilde, P.De, *see* D.I. Kim 80 (8) (2000) 1629–1654
Wilson, R.J. *see* D.J. Nott 63 (3) (1997) 199–210
Wilson, R.J., *see* D.J. Nott 80 (1) (2000) 125–139
Wilson, S., *see* J.-J. van de Beek 80 (7) (2000) 1321–1334
Winkler, S., Issues in vision modeling for perceptual video quality assessment 78 (2) (1999) 231–252
Wollborn, M., *see* R. Mech 66 (2) (1998) 203–217
Wu, B.-F. and C.-Y. Su, Arbitrarily shaped image coding by using translation invariant wavelet transforms 79 (3) (1999) 309–314
Wu, H.R., *see* M. Yuen 70 (3) (1998) 247–278
Wu, J.-L., *see* C.-L. Yu 69 (2) (1998) 149–155
Wu, J.-L., *see* Y.M. Huang 80 (10) (2000) 2255–2260
Wulich, D. *see* L. Goldfeld 61 (3) (1997) 225–235
Wyrsch, S. *see* A. Kaelin 64 (1) (1998) 71–85

Xia, X.-G., *see* X.-Q. Gao 80 (5) (2000) 889–896
Xiao, L. *see* T. Adalı 61 (2) (1997) 145–155
Xiao, Y., Y. Tadokoro and K. Iwamoto, Real-valued LMS Fourier analyzer for sinusoidal signals in additive noise 69 (2) (1998) 131–147
Xie, L., *see* L. Li 75 (1) (1999) 65–77
Xie, L., *see* Z. Tan 75 (2) (1999) 141–149
Xie, L., S. Wang, C. Du and C. Zhang, H_∞ deconvolution of periodic channels 80 (11) (2000) 2365–2378
Xie, Y., V.U. Reddy and C.C. Ko, A combined DMT/DWMT system for DSL application 80 (1) (2000) 185–195
Xu, C. and J.L. Prince, Generalized gradient vector flow external forces for active contours 71 (2) (1998) 131–139
Xu, G., *see* M. Torlak 73 (1–2) (1999) 153–167
Xu, Z.D. and M.K. Tsatsanis, Adaptive minimum variance methods for direct blind multichannel equalization 73 (1–2) (1999) 125–138
Xue, J. and B. Yuan, A novel approach to the optimal biorthogonal analysis window sequence of the discrete Gabor expansion 63 (1) (1997) 65–72

Yan, H., *see* C. Weerasinghe 78 (2) (1999) 215–230
Yan, H., *see* C. Weerasinghe 70 (2) (1998) 103–114
Yan, H., *see* C. Weerasinghe 80 (5) (2000) 867–881
Yan, W.-M., *see* K.-L. Chung 68 (2) (1998) 175–182
Yan, W.-Y., *see* L. Li 75 (1) (1999) 65–77
Yang, H., On-line blind equalization via on-line blind separation 68 (3) (1998) 271–281
Yang, H., S.-i. Amari and A. Cichocki, Information-theoretic approach to blind separation of sources in non-linear mixture 64 (3) (1998) 291–300
Yang, H.H. and H. Yingbo, On performance of cross-relation method for blind-channel identification 62 (2) (1997) 187–205
Yang, J.Y., *see* J. Shen 80 (6) (2000) 965–983
Yang, S.-J., *see* J.-H. Lee 80 (8) (2000) 1435–1444

Yang, Y., C.-H. Liu and T.-W. Soong, A log-likelihood function-based algorithm for QAM signal classification 70 (1) (1998) 61–71
Yarman-Vural, F., *see* E. Öztop 75 (1) (1999) 1–10
Yarman-Vural, F.T., *see* A.A. Atici 62 (1) (1997) 87–99
Yau, S., *see* K. Yeung 67 (2) (1998) 141–162
Yaz, E.E. *see* W. NaNacara 62 (2) (1997) 215–228
Yeh, C.-C., *see* J.-L. Yu 74 (2) (1999) 199–208
Yeh, M.-H., *see* S.-C. Pei 67 (1) (1998) 99–108
Yeo, C., *see* I. Soon 75 (2) (1999) 151–159
Yeredor, A., Blind source separation via the second characteristic function 80 (5) (2000) 897–902
Yeung, K. and S. Yau, A cumulant-based super-exponential algorithm for blind deconvolution of multi-input multi-output systems 67 (2) (1998) 141–162
Yin, P.-Y., A fast scheme for optimal thresholding using genetic algorithms 72 (2) (1999) 85–95
Ying-Ning, P., *see* G. Jian 80 (2) (2000) 373–379
Yingbo, H. *see* H.H. Yang 62 (2) (1997) 187–205
Yoganandam, Y., *see* K.V.S. Babu 68 (3) (1998) 317–339
Yoo, K.-y. and J.-k. Kim, A new fast local motion estimation algorithm using global motion 68 (2) (1998) 219–224
Yoon, S., *see* H. Kim 69 (3) (1998) 281–297
Yoon, S., *see* S. Park 80 (3) (2000) 451–464
Yoshikawa, T., *see* X. Zhang 72 (3) (1999) 167–175
Yoshikawa, T., *see* X. Zhang 78 (1) (1999) 91–100
Yoshikawa, T., *see* X. Zhang 80 (8) (2000) 1551–1559
You, H., *see* G. Jian 80 (2) (2000) 373–379
Younan, N.H. and X. Fan, Signal restoration via the regularized constrained total least squares 71 (1) (1998) 85–93
Younis, W.M., *see* E. Eweda 69 (2) (1998) 157–162
Yu, C.-L. and J.-L. Wu, Hierarchical dictionary model and dictionary management policies for data compression 69 (2) (1998) 149–155
Yu, J.-L. and M.-L. Leou, Transformation-based adaptive array beamforming 80 (2) (2000) 231–241
Yu, J.-L., A novel subspace tracking using correlation-based projection approximation 80 (12) (2000) 2517–2525
Yu, J.-L. and C.-C. Yeh, Performance of generalized eigenspace-based beamformers in the presence of pointing errors 74 (2) (1999) 199–208
Yu, K., X. Jiang and H. Bunke, Lipreading using signal analysis over time 77 (2) (1999) 195–208
Yu, P.-T., *see* H.-H. Tsai 74 (2) (1999) 127–151
Yu, S.-J. and F.-B. Ueng, Implementation of cyclostationary signal-based adaptive arrays 80 (10) (2000) 2249–2254
Yu, S.J. and F.B. Ueng, Blind adaptive beamforming based on generalized sidelobe canceller 80 (12) (2000) 2497–2506
Yu, X., *see* Z. Cao 65 (1) (1998) 135–141
Yuan, B. *see* J. Xue 63 (1) (1997) 65–72
Yuen, M. and H.R. Wu, A survey of hybrid MC/DPCM/DCT video coding distortions 70 (3) (1998) 247–278

Zahir Azami, S.B. and G. Feng, Robust vector quantizer design using self-organizing neural networks 80 (7) (2000) 1289–1298
Zang, Z., *see* S.S. Abeysekera 80 (1) (2000) 205–209

Zaragoza, H., P. Gallinari, R. Curtelin and F. Leglaye, Multiple multivariate regression and global sequence optimization: An application to large-scale models of radiation intensity 64 (3) (1998) 371–382
Zayed, A.I. and A.G. García, New sampling formulae for the fractional Fourier transform 77 (1) (1999) 111–114
Zeevi, Y.Y., *see* D. Stanhill 67 (2) (1998) 125–139
Zeng, B., Reduction of blocking effect in DCT-coded images using zero-masking techniques 79 (2) (1999) 205–211
Zhang, X. and T. Yoshikawa, Design of orthonormal IIR wavelet filter banks using allpass filters 78 (1) (1999) 91–100
Zhang, C., *see* S. Wang 76 (3) (1999) 301–309
Zhang, C., *see* L. Xie 80 (11) (2000) 2365–2378
Zhang, X. and B.A. Wandell, Color image fidelity metrics evaluated using image distortion maps 70 (3) (1998) 201–214
Zhang, X., T. Muguruma and T. Yoshikawa, Design of orthonormal symmetric wavelet filters using real allpass filters 80 (8) (2000) 1551–1559
Zhang, X. and T. Yoshikawa, Design of two-channel IIR linear phase PR filter banks 72 (3) (1999) 167–175
Zhao, K., *see* D. Liu 80 (9) (2000) 1849–1861
Zheng, Y., D.B. Tay and L. Li, Signal extraction and power spectrum estimation using wavelet transform scale space filtering and Bayes shrinkage 80 (8) (2000) 1535–1549
Zhong, Y., *see* A.K. Jain 71 (2) (1998) 109–129
Zhou, H., *see* Y. Zhu 73 (3) (1999) 191–201
Zhou, F., *see* S. Qiu 77 (2) (1999) 159–170
Zhou, G., *see* Y. Wang 65 (2) (1998) 283–296
Zhu, B., *see* M.D. Swanson 66 (3) (1998) 337–355
Zhu, J., X.-R. Cao and Z. Ding, An algebraic principle for blind separation of white non-Gaussian sources 76 (2) (1999) 105–115
Zhu, Y., H. Zhou, H. Gu and Z. Wang, Fixed-point error analysis and an efficient array processor design of two-dimensional sliding DFT 73 (3) (1999) 191–201
Živojnović, V., Minimum Fisher information of moment-constrained distributions with application to robust blind identification 65 (2) (1998) 297–313
Żółowski, M., Why do optimal forgetting RLSs exhibit long term divergence and how can this be avoided? 68 (2) (1998) 195–218
Żółtowski, M., An adaptive reconstruction of chaotic attractors out of their single trajectories 80 (6) (2000) 1099–1113
Zou, C., *see* L. Luo 69 (2) (1998) 191–198
Zou, H., *see* D. Liu 80 (9) (2000) 1849–1861
Zozor, S., É. Moisan and P.-O. Amblard, Revisiting the estimation of the mean using order statistics 68 (2) (1998) 155–173
Zurbenko, I.G. and P.S. Porter, Construction of high-resolution wavelets 65 (2) (1998) 315–327

The FREE e-mail service which delivers Elsevier Science book and journal tables of contents directly to your PC

CONTENTS direct

Sign-up is simple!

1. ALL YOU HAVE TO DO IS VISIT THE CONTENTSDIRECT WEBSITE
2. FOLLOW THE INSTRUCTIONS TO REGISTER YOUR BOOK AND JOURNAL INTERESTS ONLINE
3. THEN SIT BACK AND ENJOY ADVANCE E-MAIL NOTIFICATION OF THE VERY LATEST RESEARCH IN YOUR AREAS OF INTEREST

REGISTER TODAY

www.elsevier.com/locate/contentsdirect

Choose from broad collections of primary journal literature and powerful secondary databases, all deliverable via the Internet or your local Intranet—building blocks for the digital library you need.



SCIENCE DIRECT®

For the Digital Library You Want

ScienceDirect offers desktop access to over 1 million articles published in nearly 1,200 journals spanning 16 fields of science and provides researchers with some 2 million bibliographic citations and abstracts. Access may also be provided to an additional 30 million abstracts via ScienceDirect's secondary databases.

Unprecedented content, navigability and customization options
Whether you choose the breadth of the ScienceDirect multi-publisher platform or one of our discipline or industry-focused solutions, you'll be providing your institution with a dynamic, efficient and integrated solution to access the world's critical STM literature.

- ScienceDirect Online
- ScienceDirect OnSite
- ScienceDirect Web editions
- ScienceDirect Gateway
- ScienceDirect Bibliographic Database Collection
- ScienceDirect Industry Solutions: Pharmaceutical
- ADONIS®
- ScienceServer®







www.sciencedirect.com

New York	Amsterdam	Singapore	Tokyo	Rio de Janeiro
+1 212 633 3609	+31 20 485 3767	+65 434 3716	+81 3 5561 5035	+55 21 509 5340
usinfo@sciencedirect.com	nlinfo@sciencedirect.com	sginfo@sciencedirect.com	jpinfo@sciencedirect.com	brinfo@sciencedirect.com

0 097 056 1

Instructions to authors

General. Prospective authors are encouraged to submit manuscripts within the scope of the Journal. To qualify for publication, papers must be previously unpublished and not be under consideration for publication elsewhere. All material should be sent in quadruplicate (original plus three copies) to the Editor-in-Chief. Contributors are reminded that once their contribution has been accepted for publication, all further correspondence should not be sent to the Editor, but directly to the publishers (Issue Management Department, Elsevier Science B.V., P.O. Box 2759, 1000 CT Amsterdam, The Netherlands).
All manuscripts will be assessed by at least two (anonymous) referees.
Upon acceptance of an article, the author(s) will be asked to transfer copyright of the article to the publisher. This transfer will ensure the widest possible dissemination of information.
The text of the paper should be preceded by abstracts of no more than 200 words. Abstracts should contain the substance of the methods and results of the paper. Page proofs will be sent to the principal author with an offprint order form. Fifty offprints of each article can be ordered free of charge. Costs arising from alterations in proof, other than of printer's errors, will be charged to the authors.
All pages should be numbered. The first page should include the article title and the author's name and affiliation, as well as a name and mailing address to be used for correspondence and transmission of proofs. The second page should include a list of unusual symbols used in the article and the number of pages, tables and figures. It should also contain the keywords.
Figures. All illustrations are to be considered as figures, and each should be numbered in sequence with Arabic numerals. The drawings of the figures must be originals, drawn in black india ink and carefully lettered, or printed on a high-quality laser printer. Each figure should have a caption and these should be listed on a separate sheet. Care should be taken that lettering on the original is large enough to be legible after reduction. Each figure should be identified. The approximate place of a figure in the text should be indicated in the margin. In case the author wishes one or more figures to be printed in colour, the *extra* costs arising from such printing will be charged to the author. In this case 200 offprints may be ordered free of charge. More details are available from the Publisher.
Tables. Tables should be typed on separate sheets. Each table should have a number and a title. The approximate places for their insertion in the text should be indicated in the margin.
Footnotes in text. Footnotes in the text should be identified by superscript numbers and listed consecutively on a separate page.
References. References must be *in alphabetical order* in the style shown below:

Book	[1]	A.V. Oppenheim et al., Digital Signal Processing, Prentice Hall, Englewood Cliffs, NJ, 1975, Chapter 10, pp. 491–499.
Journal	[2]	F.J. Harris, On the use of windows for harmonic analysis with the discrete Fourier transform, Proc. IEEE 66 (1) (January 1978) 53–83.
Conference Proceedings	[3]	D. Coulon, D. Kayser, A supervised-learning technique to identify short natural language sentence, Proc. 3rd Internat. Joint Conf. on Pattern Recognition, Coronado, CA, 8–11 November 1976, pp. 85–89.
Contributed Volume	[4]	E.F. Moore, The firing squad synchronization problem, in: E.F. Moore (Ed.), Sequential Machines, Selected Papers, Addison Wesley, Reading, MA, 1964, pp. 213–214.

Fast Communications. Papers for the Fast Communications section should be submitted by electronic mail to the Editor-in-Chief: Professor M. Kunt. Papers should be a maximum of 2,500 words in length (approximately 6 printed journal pages for Signal Processing). Submissions will be subject to the same editorial selection criteria as regular papers, but must cover *a new theoretical development with clear proof of novelty*. Reviews will be dispatched electronically and decisions will be binary (yes/no) to avoid publication delays. Please ensure your complete postal and e-mail address are indicated on the title page. As no page proofs will be sent to the authors, the presentation should be very clear. For Fast Communications, the figures should be provided in Encapsulated Postscript (eps) format.
To ensure fast publication, the manuscript should be written in LaTeX using the document styles of Elsevier Science B.V. Move all files needed (TeX source, eps-files, style and bibliography files) into one directory. Remove all compilation files (*.log, *.lof, *.dvi, *.aux, . . .). Rename the main TeX source into *review.tex* and archive (tar), compress and uuencode this directory, and e-mail the uuencoded file to: fastcom@epfl.ch. Authors who comply with the above conditions will have their Fast Communication published on the EEE-Alert Server within four weeks of acceptance.

LaTeX files of papers that have been accepted for publication may be sent to the Publisher on a diskette (3.5" MS-DOS), along with a paper-printed version identical to the file. The disk should be clearly labelled with author's name and type of word-processing program used. If the file is suitable, proofs will be produced without rekeying the text. The article should be encoded in ESP-LaTeX, standard LaTeX, or AMS-LaTeX (in document style 'article'). The Elsevier LaTeX package (including detailed instructions for LaTeX preparation) can be obtained from Elsevier's web site: www.elsevier.com/locate/latex, or www.elsevier.com/locate/latex, or www.elsevier.co.com/locate/latex. *No changes* from the accepted version are permissible, without the explicit approval by the Editors. The Publisher reserves the right to decide whether to use the author's file or not. If the file is sent by e-mail, the name of the journal, *Signal Processing*, should be mentioned in the subject field of the message to identify the paper. Authors should include an ASCII table (available from the Publisher) in their files to enable the detection of transmission errors.
Author enquiries. For enquiries relating to the submission of articles (including electronic submission), the status of accepted articles through our Online Article Status Information System (OASIS), author Frequently Asked Questions and any other enquiries relating to Elsevier Science, please consult http://www.elsevier.com/locate/authors/
For specific enquiries on the preparation of electronic artwork, consult http://www.elsevier.com/locate/authorartwork/
Contact details for questions arising after acceptance of an article, especially those relating to proofs, are provided when an article is accepted for publication.

European Association for Signal, Speech and Image Processing (EURASIP)

Administrative Committee (ADCOM)
President: Peter Grant, Department of Electrical Engineering, University of Edinburgh, Kings Buildings, Edinburgh EH9 3JL, United Kingdom
Past President: Wolfgang Mecklenbräuker, Institut fhr Nachrichtentechnik, TU Wien, Gusshausstrasse 25/389, A-1040 Wien, Austria
Secretary/Treasurer: Ferran Marques, Dep Signal Theo & Comms, ETSETB Univ Politechnica de Catalunya, Campus Nord - TSC, Modulo D5, C/Jordi Girona 1-3, 08034 Barcelona, Spain
Awards Chairman: Giovanni Sicuranze, Dip di Elettronica/Informatica, Via A Valerio 10, 34100 Trieste, Italy
Workshops/Conferences Coordinator: Sergios Theodoridis, Informatics, Comms and Signal Processing, University of Athens, Panepistimioupolis, TYPA Buildings, Athens 157 84, Greece
Newsletter: Marc Moonen, Electrical Engineering Dept (ESAT/SISTA), Katholieke Universiteit Leuven, Kardinaal Mercierlaan 94, B-3001 Leuven, Belgium, WWW page coordination: Moncef Gabbouj, Signal Processing Lab., Tampere University of Technology, PO Box 553, FIN-33101 Tampere, Finland, (e-mail: moncef.gabbouj@tut.fi)
Please refer to: **www.eurasip.org**

0165-1684(200107)80:3001;1-T